

NLEY



STANLEY

HUBUNGI : 🜔 GHOMEMART

08112863773 CHAT ONLY

THE HISTORY OF STANLEY® TOOLS

1863

Stanley introduced hammers to their line-up.

1870

1843

The Stanley Works was founded in New Britain, Connecticut by Frederick T. Stanley.



Stanley began manufacturing screwdrivers and hand planes.

> 1900 Rule & Level is the largest manufacturer of planes and related tools in the world.

1911

chisels and vises.

1921

A new logo is introduced to

symbolize the merger of the

and the Stanley Works.

ST

Stanley Rule & Level Company

ANLF

1936 Stanley began manufacturing

Stanley manufactured its first utility knife.

1937

Henry Phillips, inventor of Phillips head screw, chose Stanley as the first company to begin making Phillips screwdrivers.

I 1844

Begin to manufacture ivory and boxwood rules

1857

Stanley Rule & Level Company established by Henry Stanley. Stanley begins to manufacture levels and squares.



introduced



Purchased Bailey, Chaney and Company and acquired the right to manufacture tools under Bailey's patents.

1924

Stanley filed a patent for the ratcheting screwdriver.

1930

Stanley made the first steel tape rule. INDER T TELANITY

1928

The Stanley Works broke into the electric hand tools market with an electric drill, screwdriver and bench grinder.



1954

Time Magazine published a cover story titled "Do-It-Yourself – The New Million Dollar **Hobbý**. Stanley was ideally positioned to benefit from this trend and quickly developed products for this new market.



1970

Stanley began producing manual staplers.

L

1999

Stanley launched the FatMax Tape Rule and the FatMax AntiVibe Hammer.



2008 Stanley re-introduces Sweetheart planes.

2015

Stanley newly launches power tools range.



1963

Stanley opens the largest hand tool plant in the world in New Britain, CT. The same year, they introduce the PowerLock Tape Rule.



1980

The Stanley Works was presented the American Eagle Award from the American Supply & Machinery Manufacturers' Associ., Inc. for its "unusual across-the board quality".

ا 1998

Stanley acquires ZAG Industries Lt., an Israeli maker of plastic storage products, including tool



ו 2012

2013 Stanley launches the

next generation of hand tools.

170 Anniversarv

Stanley launches new logo and power tools.

STANLEY.

I

2014

Stanley 19"

Metal won a

good design

award

GOOD DESIGN AWARD 2014

2016 & Beyond

STANLEY will continue to introduce new and innovative products that will change the way we work today



STANLEY

STANLEY[®] is the longest established and largest hand tool manufacturer in the world.

Since 1843, **STANLEY**[®] has become a leading name in hand tool industry; we've set the standard for excellence in everything we do. No company on earth has a stronger or more compelling history of delivering the hardworking, powerful and innovational tools that help professionals, tradesmen and consumers around the world.

Whether you're a retailer looking for the best quality products to offer your customers, or a skilled user looking for the best tools, **STANLEY**[®] is here to serve you.

STANLEY® GLOBAL PRESENCE

 20+ Global manufacturing sites and labs with similar process and quality controls for consistent quality.

ACHIEVING UNPARALLELED PERFORMANCE WITH STANLEY® TOOLS

Since 1843

FULL RANGE OF PRODUCTS FOR ALL PROFESSIONALS

HUBUNGI : 🜔 🖓 HOMEMART

FROM CONCEPT TO YOUR HANDS




For 170 years, **STANLEY**[®] manufacturing expertise has allowed us to provide the quality, performance and value that our customers demand. With facilities located at more than 30 global sites and labs, we are dedicated to continually testing, designing and improving our products to ensure quality and maximum performance and function.


INNOVATIVE DESIGN WITH GREAT FUNCTIONALITY

STANLEY® designs tools based on end user research and user insights. We are the pioneers in many tool categories and have created over 150 patented features focused on solving problems of the users.


TESTING & QUALITY CONTROL


We test our products in state of the art facilities, doing performance and life tests to ensure high performance, getting the job done quickly, longer unit life, less repair and maintenance, and convenience and comfort for the users.





STANLEY® POWER TOOLS





HUBUNGI : 🜔 🖓 HOMEMART

SERVICE

CONVENIENCE

At the heart of the STANLEY 5 star service promise are 5 star service centers which are conveniently located throughout the country, with specialists always available to answer any questions whether you are on or off the job site.

SPEED

Having your tools back in action in the fastest time possible is our prime objective. Subject to parts availability, most repairs should not take long time in the workshop and for those smaller urgent repairs we provide a "while-u-wait" service.

QUALITY

Highest Quality is assured with STANLEY factory trained technicians carrying out all repairs with all work being backed by our 90 day warranty. Each STANLEY repair comes with our personal "satisfaction tag" listing all the work done and a STANLEY contact telephone number should you be less than 100% happy with the repair.



HUBUNGI : DHOMEMART



STANLEY is confident of the quality of its products and offers an outstanding warranty for customers. We have identified a need amongst our end-users for a lengthier warranty policy.

Therefore, we will offer limited lifetime warranty for STANLEY hand tools

In order to honor your warranty, proof of purchase must be provided.

Latest Warranty Terms and Conditions are available from www.2helpU.com. Or consult your local distributor, authorized service center or local STANLEY office for more details.

STANLEY reserves the right to review and amend its warranty policies, periods and product eligibility without notice as STANLEYconsiders appropriate.






AN CONTRACT	CLAMPING TOOLS	3	9	MECHANIC TOOL 56
	CUTTING TOOLS	<u>13</u>	A.	SPECIALTY TOOLS 68
	FASTENING TOOLS	23		STORAGE 71
	FINISHING TOOLS	<u>35</u>	$\overline{\langle}$	STRIKING TOOLS 79
	LASER LEVELING	<u>39</u>	No.	WRENCHES 85
	LASER MEASUREMENT	<u>42</u>	STANLEY	TRANSMODULE 96
	LAYOUT TOOLS	<u>45</u>		HANDTOOL SET 102
2	MATERIAL HANDLING	<u>50</u>	1	BRITOOL 106
	MEASURING TOOLS	<u>53</u>		AUTHORIZED SERVICE CENTER 104

HUBUNGI : DHOMEMART



CLAMPING TOOLS

Extensive quality testing is done on every clamping tool design, ensuring that daily performance exceeds industry standards. This comprehensive range allows for varied utility.



HUBUNGI : 🜔 GHOMEMART

PERFECTION INACTION

THE COMPREHENSIVE RANGE OF PLIERS

Whatever the task is, there is a STANLEY® pliers to help. Manufactured from quality steel, the range of pliers are built for high performance in any situation.

The range of options include linesman, combination, diagonal cutter, long nose, bent nose, wire stripper, slip joint, groove joint, and locking pliers.





LINESMAN







DIAGONAL CUTTER



STRIPPERS

VDE PLIERS

STANLEY® is proud to be one of the market leaders in providing VDE solutions. Tested and proven, these tools either meet or exceed industry standards and can ensure safety when working with live equipment up to 1000VAC or 1500 VDC.



CURVED JAW

PIPE PLIERS

The pipe pliers by STANLEY® boast a solid cast iron body and jaw forged with chrome molvbdenum steel. Tough materials are used to ensure that the entire range provides users with great performance and durability.

--

LOCKING PLIERS Available as: Curved jaw, Straight jaw, Long

nose. Welding, Sheet metal or 'C' clamp variants

PLIERS Available as:

Linesman, combination, long nose, bent nose, wire stripper,

slip joint & groove joint variants



ANSI American National Standards Institute

ADJUSTABLE WRENCH

Every wrench produced by **STANLEY®** exceeds ANSI standards. Adjustable jaw design allows tool to grip many fastener sizes. Knurl adjusting mechanism is available for quick and precise adjustments



CLAMPING TOOLS



- Better Performance
- Better than Iron
- Lightweight compared to Iron

STANLEY SKU	Description	Box/CTN
81-602-1-22	Bench Vice 5" with Base	1/1
81-603-1-22	6" Bench Vise CS with ANV/S Base	1/1

BIT BRACE



- Holds shank bit from 1/8" to 7/16"
- Steel clad ball bearing head
- Chrome plated finish for rust resistance
- Available in 10" and 12" sweep

STANLEY SKU	Description	Box/CTN
02-110-22	10" Bit Brace 4-Jaw 1/2" Cap	6/24
02-112-22	12″ Bit Brace 4-Jaw 1/2″ Cap	6/24
02-130-22	10″ Bit Brace 4-Jaw 5/8″ Cap	6/24

C CLAMP



- · High-visibility, corrosion-resistant finish
- Advanced frame design resists flexing and bending
- Heavy-duty, malleable iron and steel construction
- Roll-formed screw threads ensure smooth operation and durability
- Oversized "T" handle for extra torque

STANLEY SKU	Description	Box/CTN
83-032K	2" C Clamp MaxSteel	12/72
83-033K	3" C Clamp MaxSteel	6/36
83-034K	4" C Clamp MaxSteel	6/24
83-036K	8" C Clamp MaxSteel	3/6

BASIC LONG NOSE PLIERS



• Forged carbon steel jaws fully heat treated for

- optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications

STANLEY SKU	Description	Box/CTN
STHT84119-8	4" Long Nose Pliers-Miniature	6

HUBUNGI : DHOMEMART



https://id.stanleytools.global/en

BASIC BENT NOSE PLIERS







- Forged carbon steel jaws fully heat treated for
- optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications

STANLEY SKU	Description	Box/CTN
STHT84126-8	5" Bent Nose Pliers-Miniature	6



SIC NEEDLE NOSE

- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Double dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications

STANLEY SKU	Description	Box/CTN
STHT84096-8	5" Needle Nose Pliers-Miniature	6

BASIC PLIERS SET



- 8" Linesman Pliers
- 6" Diagonal Cutting Pliers
- 6" Long Nose Pliers



STANLEY SKU	Description	Box/CTN
STHT90162-8	3pcs Basic Pliers Set	4

COMBINATION SNAP RING PLIERS



- Internal- External positioning 45°- 90°-180°
- 10-50mm range

STANLEY SKU	Description	Box/CTN
84-168-22	Pliers Combination Snap Ring	6





PRECISION NIPPER PLIERS



- 2 times longer cutting life 25% less cutting effort
- Cutting edge are precision ground & pre-finished before assembly for consistent performance
- Full collar, anti-slip ergonomic handle for comfort & superior gripping Machined teeth for maximum gripping in tight spaces
- Made of strong chrome vanadium material for longer lasting cutting Maximum anti-rust capability

STANLEY SKU	Description	Box/CTN
84-036	100mm/4" Precision Nipper Pliers	6/36

TOWER PINCER



- · Tempered alloy steel for strength and durability
- · Rust resistant protective finish

STANLEY SKU	Description	Box/CTN
84-281-S	8" / 200mm Tower Pincers	6/36
84-282-23	10" / 250mm Tower Pincers	6/36

CURVED LOCKING LIERS



- Chrome plating is corrosion resistant
- · Forged and machined jaws for maximum durability
- Screws adjust the jaws and the clamping pressure amount for precision
- · Safety and ease when opening

STANLEY SKU	Description	Box/CTN
84-368-1-S	7" Locking Curve Jaw Pliers	6



- Bi-material handle for anti-slip & comfort
- Serrated jaws made of chrome molybdenum material
- Heat treated adjustable screw
- Curved jaws puts tremendous pressure on four points at any style or bolt head ideal for welding & other metal work

STANLEY SKU	Description	Box/CTN
84-369-1-S	10" Locking Curve Pro Pliers	6

STRAIGHT LOCKING PLIERS



- Chrome plating is corrosion resistant
- Forged and machined jaws for maximum durability
- Screws adjust the jaws and the clamping pressure amount for precision
- · Safety and ease when opening

STANLEY SKU	Description	Box/CTN
84-370-1-S	7" Straight Jaw Locking Pliers	4



- · Bi-material handle for anti-slip & comfort
- Serrated jaws made of chrome molybdenum material
- Long straight nose provides easy access in narrow, hard to reach places Ideal for precision work

STANLEY SKU	Description	Box/CTN
84-371-1-S	10" Straight Pro Locking Pliers	6

HUBUNGI : 🜔 GHOMEMART


LONG NOSE LOCKING PLIERS





- Chrome plating is corrosion resistant
- · Forged and machined jaws for maximum durability
- Screws adjust the jaws and the clamping pressure amount for precision
- · Safety and ease when opening

STANLEY SKU	Description	Box/CTN
84-396-S	6.5" Long Nose Locking Pliers	6



- Bi-material handle for anti-slip & comfort
- Serrated jaws made of chrome molybdenum material
- · Heat treated adjustable screw

STANLEY SKU	Description	Box/CTN
84-389-S	9.5" Long Nose Locking Pliers	6/36





- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Induction hardened cutting edges for greater reliability in cutting
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP[™] handle with finger guards for better efficiency and handling

STANLEY SKU	Description	Box/CTN
STHT84035-8	7" Linesman Pliers	6
STHT84029-8	8" Linesman Pliers	6

DYNAGRIP™ DIAGONAL CUTTING PLIERS








- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Induction hardened cutting edges for greater reliability in cutting
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling

STANLEY SKU	Description	Box/CTN
STHT84027-8	6" Diagonal Cutting Pliers	6
STHT84028-8	7" Diagonal Cutting Pliers	6










- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling

STANLEY SKU	Description	Box/CTN
STHT84031-8	6" Long Nose Pliers	6
STHT84032-8	8" Long Nose Pliers	6

DYNAGRIP™ DIAGONAL CUTTING PLIERS







- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling

STANLEY SKU	Description	Box/CTN
STHT84071-8	6" Bent Nose Pliers	6
STHT84072-8	8" Bent Nose Pliers	6

DYNAGRIP™ FLAT NOSE PLIERS







- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling

STANLEY SKU	Description	Box/CTN
STHT84073-8	6" Flat Nose Pliers	6

DYNAGRIP™ SLIP JOINT PLIERS



- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling

STANLEY SKU	Description	Box/CTN
STHT84055-8	6" Slip Joint Pliers	6
STHT84026-8	8" Long Nose Pliers	6



DYNAGRIP™ GROOVE JOINT PLIERS







- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIPTM handle with finger guards for better efficiency and handling

STANLEY SKU	Description	Box/CTN
STHT84034-8	8" Groove Joint Pliers	6
STHT84024-8	10" Groove Joint Pliers	6
STHT84021-8	12" Groove Joint Pliers	6

DYNAGRIP[™] WIRE STRIPPER PLIERS







- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling

STANLEY SKU	Description	Box/CTN
STHT84075-8	6" Wire Stripper Pliers	6

DYNAGRIP[™] ENI NIPPER PLIERS







- Forged carbon steel jaws fully heat treated for optimum performance and durability
- Bi-material soft grip handle provides excellent comfort
- Ergonomically designed DYNAGRIP™ handle with finger guards for better efficiency and handling

STANLEY SKU	Description	Box/CTN
STHT84077-8	6" End Nipper Pliers	6

CRIMPING PLIERS





• Cuts electrical wires, strips insulation, shears screws and bolts (Warning: Grips do not protect against electrical shock.)

STANLEY SKU	Description	Box/CTN
84-253-22	9" Crimping Pliers Set	6/36

• Cuts electrical wires, strips insulation, shears screws and bolts (Warning: Grips do not protect against electrical shock.)

STANLEY SKU	Description	Box/CTN
84-223-22	9" Crimping Pliers	10/100

HUBUNGI : 🜔 🖓 HOMEMART

WIRE STRIPPER



- · Convenient hole for looping or bending wire
- · Ideal for cutting, stripping speaker wire & appliance cords
- · Slide adjust for various gauge wire

STANLEY SKU	Description	Box/CTN
84-214-22	Wire Stripper	15/150

VDE NARROW HEAD DIAGONAL CUTTING PLIERS



- Safe live line working to 1,000V
- DIN / ASO / ANSI compliant
- Safe live line working to 1,000v
- Individually tested to 10,000v
- Compliant to EN60900, IEC/CEI900, VDE688
- · Bi-material handle with secure grip grooving for comfort
- Heat treated high chrome steel forging for long life and durability
- Hand ground, induction hardened blade for long life and accuracy
- · Finger guard for better control & added user safety
- · Interlocking joint assembly for smooth cutting
- DIN/ ASO/ ANSI Compliant

STANLEY SKU	Description	Box/CTN
84-009	160mm/6-1/4″ Narrow Head Diagonal Pliers	4/24

VDE COMBINATION PLIERS



- Safe live line working to 1,000V
- DIN / ASO / ANSI compliant
- Safe live line working to 1,000v
- Individually tested to 10,000v
- Compliant to EN60900, IEC/CEI900, VDE688
- · Bi-material handle with secure grip grooving for comfort
- Heat treated high chrome steel forging for long life and durability
- Hand ground, induction hardened blade for long life and accuracy
- · Finger guard for better control & added user safety
- · Interlocking joint assembly for smooth cutting
- DIN/ ASO/ ANSI Compliant

STANLEY SKU	Description	Box/CTN
84-000	160 mm/6" Combination (2101NV)	4/24
84-001	180 mm/7" Combination (2201NV)	4/24
84-002	200 mm/8" Combination (2301NV)	4/24



https://id.stanleytools.global/en

VDE DIAGONAL CUTTING PLIERS



- Safe live line working to 1,000V
- DIN / ASO / ANSI compliant

STANLEY SKU	Description	Box/CTN
84-004	8" Diagonal Cutting Pliers	4

VDE LONG NOSE PLIERS



- Safe live line working to 1,000V
- DIN / ASO / ANSI compliant


STANLEY SKU	Description	Box/CTN
84-006	8" Diagonal Cutting Pliers	6
84-007	8.5" Long Nose Pliers	4

VDE WATER PUMP PLIERS



- Safe live line working to 1,000V
- DIN / ASO / ANSI compliant
- Safe live line working to 1.000v
- Individually tested to 10,000v
- Compliant to EN60900, IEC/CEI900, VDE688
- Bi-material handle with secure grip grooving for comfort
- Heat treated high chrome steel forging for long life and durability
- Hand ground, induction hardened blade for long life and accuracy
- · Finger guard for better control & added user safety
- · Interlocking joint assembly for smooth cutting
- DIN/ ASO/ ANSI Compliant

STANLEY SKU	Description	Box/CTN
84-294	250mm/10" Water Pump Pliers (AA-01V)	4/24





- Safe live line working to 1,000V
- DIN / ASO / ANSI compliant
- Safe live line working to 1,000v
- Individually tested to 10,000v
- · Compliant to EN60900, IEC/CEI900, VDE688
- Bi-material handle with secure grip grooving for comfort
- Hand ground, induction hardened blade for long life and accuracy
- · Finger guard for better control & added user safety
- Interlocking joint assembly for smooth cutting
- DIN/ ASO/ ANSI Compliant

STANLEY SKU	Description	Box/CTN
84-011	3pcs Pliers Sets (84-001, 84-003 & 84-007)	4/24



CUTTING TOOLS

STANLEY manufactured its first utility knife back in 1935. We are the pioneer and innovator in this category. The **STANLEY** cutting tool range is built to last, to provide excellent cutting performance and to have noteworthy safety and ergonomic features.



HUBUNGI : 🜔 GHOMEMART

CUTTING TOOLS

BOLT CUTTER



- A range of bolt cutters in most popular sizes
- Cutter blades are of chrome molybdenum tempered steel with cutting jaws tempered HRC 60° (FBS std)
- Special heat treatment give blades extra hardness and durability

STANLEY SKU	Description	Box/CTN
14-308-S	8" Bolt Cutter	6/48
14-312-S	12" Bolt Cutter - Forged Handle	6/24
14-314-S	14" Bolt Cutter - Forged Handle	6/24
14-324-S	24" Bolt Cutter - Tubular Handle	2/6
14-330-S	30" Bolt Cutter - Tubular Handle	1/4
14-336-S	36" Bolt Cutter - Tubular Handle	1/4

PVC PIPE CUTTER



- Heavy duty PVC pipe cutter
- · Stainless steel blades
- · Heat treated for durability

STANLEY SKU	Description	Box/CTN
14-442-22	PVC Pipe Cutter up to 42mm	10

CABLE CUTTER



- Designed for electriccable, copper, aluminum, etc
- Notched jaw holds & cuts cables in a clean & sharp way

STANLEY SKU	Description	Box/CTN
84-258-S	10" 60mm2 Cable Cutter	6/36
84-632-22	32" 500mm2 Cable Cutter	6/24

MINI TUBING CUTTER



• Tubing cutters for cutting copper/plastic tubing

STANLEY SKU	Description	Box/CTN
93-033-22	1/8" - 3/4" Tubing Cutter	20/200
93-021-22	1/8" - 1.1/4" Tubing Cutter	10/60
93-028-22	1/4" - 2.1/2" Tubing Cutter	6/36

GLASS CUTTER

- Die cast handle has a wide contoured comfort grip and ball end for tapping
- Steel wheel with general purpose cutting angle delivers precise scoring clean breakout, and smooth edges
- 3 Break-off notches for various depths
- Honed Cutting wheel
- Cuts glass up to 3 ram

STANLEY SKU	Description	Box/CTN
14-125	130mm Black Iron Glass Cutter	24/288



SINGLE-SIDED PULL CUTTER

QUICK POINT™ SNAP-OFF KNIFE



- · Recessed blade helps reduce risk of injury
- Hook piercer pierces and cuts through single/double wall corrugate
- Tape splitter pierces and cuts through tape in one motion
- Lightweight design helps reduce user fatigue**
- Lanyard hang hole for easy transportation and storage

STANLEY SKU	Description	Box/CTN
STHT10355	Single-Sided Pull Cutter (1 pk)	40



- Light-duty, auto lock knife with Quick Point[™] blades
- Durable and compact ABS body for simple storage and handling
- Blade sections snap off providing fresh and sharp cutting points
- Removable blade snapper included in the knife cap

STANLEY SKU	Description	Box/CTN
0-10-150	9mm Quick-Point Snap-Off Knife	4/24
STHT10151-8	18mm Quick-Point Snap-Off Knife	4/24

AUTO LOCK SNAP-OFF KNIFE



- Ergonomic design of thumb pad and neck down create comfortable grip and control
- Bi-material TPR handle with soft grip or full ABS version for durability
- Fits application needs from light to heavy duty and specially designed to improve cutting performance
- Removable blade snapper in the knife cap

STANLEY SKU	Description	Box/CTN
STHT10264-8	9mm TPR Auto Lock Snap-Off Knife (Rubber)	12



- Ergonomic design of thumb pad and neck down create comfortable grip and control
- Bi-material TPR handle with soft grip or full ABS version for durability
- Fits application needs from light to heavy duty and specially designed to improve cutting performance
- · Dial lock or auto slide lock for convenience and safety
- Removable blade snapper in the knife cap
- Storage of spare blades

STANLEY SKU	Description	Box/CTN
STHT10265-8	18mm ABS Auto Lock Snap-Off Knife (Plastic)	12
STHT10266-8	18mm TPR Auto Lock Snap-Off Knife (Rubber)	12



https://id.stanleytools.global/en

FATMAX® UTILITY KNIFE



- Adjustable thumb-dial locking wheel holds blade in place and prevents shifting
- Swivels open for quick blade change no tools required
- Rear blade storage for seven blades
- · Ergonomically designed rubber grip fits comfortably in hand
- Light weight, durable body

STANLEY SKU	Description	Box/CTN
10-777	FatMax Locking Retractable Utility Knife	6/36





• Tubing cutters for cutting copper/plastic tubing

STANLEY SKU	Description	Box/CTN
STHT10779-8	Dynagrip Retractable Utility Knife	6

CLASSIC 99® UTILITY KNIFE



- Interlock® nose firmly secures the blade into the knife
- Strong and lightweight die-cast metal body, ergonomically shaped for a comfortable grip

STANLEY SKU	Description	Box/CTN
10-099	Classic 99 Retractable Utility Knife	6

INTERLOCK SAFETY UTILITY KNIFE



- Spring-loaded blade retracts into knife automatically when pressure on slide button is released Interlocking nose secures blade safely between knife halves
- Orange colored for high visibility and safety

STANLEY SKU	Description	Box/CTN
10-189C	Interlock Safety Utility Knife w/ Self-Retracting Round Point Blade (5-7/8″)	6







- · Compact size and belt clip for convenient portability
- Push button for easy blade change
- Nose of the knife features an exposed blade step to speed up blade placement

STANLEY SKU	Description	Box/CTN
STHT10424-0	Fixed Blade Folding Utility Knife	6





- Dynagrip series adding the new soft grip on top of durable case
- Rigid stainless steel barrel corrosion resistant and provide smooth action
- High performance blade made by Stanley® with quality and great cutting life
- Dial lock with security and firm blade control for heavy-duty cutting

STANLEY SKU	Description	Box/CTN
STHT10409-8	9mm Dynagrip Snap-Off Knife	12
STHT10418-8	18mm Dynagrip Snap-Off Knife	6





- · Large blade wheel lock for heavy duty cutting
- Notched barrel for improved blade lock
- Quick and easy blade change no tools required
- Removable blade snapper ensures faster and safer removal of a worn segment
- Soft grip handle for comfort

STANLEY SKU	Description	Box/CTN
0-10-481	FATMAX 18mm Snap Off Blade Knife	6

RETRACTABLE BLADE UTILITY KNIFE



- Optimized grip designed for comfort
- Push button blade change for easy blade change
- Nose of the knife features an exposed blade step to speed up blade placement
- Integrated, secure 10-blade storage
- Includes (3) 11-921 Heavy Duty Utility Blades

STANLEY SKU	Description	Box/CTN
STHT10479-0	Retractable Blade Utility Knife	6

INTERLOCK SNAP-OFF KNIFE



- Interlock nose locking system for greater safety during cutting
- Knife can be opened and cleaned ideal for applications such as plasterboard where material build up is a problem
- · Massive blade wheel lock for heavy duty cutting
- Solvent resistant, metal body for strength

STANLEY SKU	Description	Box/CTN
0-10-018	Interlock Knife S/Off BL 18mm	6





- Light-duty auto lock knife with quick point[™] blades
- Durable and compact ABS body for simple storage and handling
- Equipped with 18 mm Double Points blade manufacture in STANLEY® UK

STANLEY SKU	Description	Box/CTN
STHT10276-8	18mm Basic Snap-Off Knife	6/24

HUBUNGI : 🜔 GHOMEMART

08112863773 CHAT ONLY

QUICK POINT™ SNAP-OFF KNIFE LADE



- Replacement blade for 10-380, 10-280, 10-418, 10-151 and other snap-off knife
- Blade with 8 cutting points

STANLEY SKU	Description	Box/CTN
11-300H	9mm S/O Knife Blades 10 Dispensers (100pcs) length 85mm	48/96
11-300T	9mm S/O Knife Blades (10pcs) length 85mm	48/576
11-301H	18mm S/O Knife Blades 10 Dispens- ers (100pcs)	1/27
11-301T	18mm S/O Knife Blades Q/ Point (10pcs)	6/36
0-11-325	25mm S/O Knife Blades Q/ Point (10pcs)	6

CLASSIC 1992® HEAVY DUTY UTILITY KNIFE LADE



- Heavy-duty blade, ideal for carpet and vinyl
- Replacement blade for 10-099, 10-175, 10-777, 10-779 & 10-804

STANLEY SKU	Description	Box/CTN
11-921H	Classic 1992 Utility Blades 10 Disp. (100pcs)	1/24
11-921T	Classic 1992 Utility Blades (10pcs)	12/72

LARGE HOOKED KNIFE BLADE



- With deeper hook for cutting thicker materials
- Fits most standard utility knives

STANLEY SKU	Description	Box/CTN
0-11-983	1996-B Large Hooked Knife Blades (5pcs)	20

PRUNING SHEARS



- Blades of precision steel
- Cuts up to 18mm / 3/4" thickness
- · Padded handle for comfort and reduced hand fatigue
- · Safety lock feature

STANLEY SKU	Description	Box/CTN
14-302-23	8" Bypass Pruning-Shears	10/60



- Serrated cutting edges to prevent slippage when cutting
- · Forged alloy steel for long life

TIN SNIPS

- Single pivot action & soft grip for comfort
- Interlocking joint assembly for smooth cutting
- Heat treated high chrome steel forging for long life and durability

STANLEY SKU	Description	Box/CTN
14-163	8" Tin Snips w/o Spring	6
14-164	10" Tin Snips w/o Spring	6
14-165	12" Tin Snips w/o Spring	6
14-166	14" Tin Snips w/o Spring	6

HUBUNGI : 🜔 🖓 HOMEMART

AVIATION SNIPS



- Cuts up to 18 gauge (1.2mm) cold-rolled steel or 23 gauge (0.7mm) stainless-steel
- Forged chrome molybdenum steel cutting blades for strength, durability, and long cutting life
- Serrated cutting blades provides a sturdy bite and helps prevent material from slipping during use
- Latch design allows for a quick single handed operation
- Adjustment-free fasteners prevent loosening of the blades
 Color-coded, slip-resistant bi-material grip for comfort and control
- Meets or exceeds ANSI standards

STANLEY SKU	Description	Box Qty
14-562-22	MaxSteel Aviation Snips - LEFT	6
14-563-22	MaxSteel Aviation Snips - STRAIGHT	6
14-564-22	MaxSteel Aviation Snips - RIGHT	6





- Durable solid plastic contruction
- Ideal for hard-to-reach places
- Handle covers blade to help protect user's hands

STANLEY SKU	Description	Box/CTN
STHT20807-8	10" Mini Hack Utility Saw	6

STRAIGHT PATTERN SNIPS



- Cuts up to 20 gauge (0.91mm) cold-rolled steel or 23 gauge (0.72mm) stainless-steel
- Durable fully-polished steel blades are forged to stay sharp for long cutting life
- Adjustment-free fastener prevents loosening of the blades
- Slip-resistant double cushion grip for comfort
- Meets or exceeds ANSI standards

Description	Box Qty
7″ MaxSteel All-Purpose Straight Pattern Snips	6
10″ MaxSteel All-Purpose Straight Pattern Snips	6
12″ MaxSteel All-Purpose Straight Pattern Snips	6
	7" MaxSteel All-Purpose Straight Pattern Snips 10" MaxSteel All-Purpose Straight Pattern Snips 12" MaxSteel All-Purpose Straight

HACKSAW FIXED FRAME





- Comfortable full handle with patented pattern for better grip and control
- Full grip protects knuckles
- Sturdy all steel painted frame 101.6mm (4") throat depth

STANLEY SKU	Description	Box/CTN
STHT20206-8	12" Hacksaw Fixed Frame - Yellow	24



HACKSAW TUBULAR FRAME



- Heavy gauge tubular steel frame nickel-plated will not tarnish or rust provides handy holding compartment for extra blades
- Easy adjustment of frame for 10"(255 mm) and 12" (305 mm) blade
- Blade can be faced in four directions
- Rugged cast handle with guard designed to protect knuckles
- Furnished with 10" (255 mm) standard carbon steel blade

STANLEY SKU	Description	Box/CTN
15-408	12" Hacksaw Tubular Frame	2/12

HACKSAW ADJUSTABLE FRAME



- Rugged plated steel frame
- Fits 10" and 12" blades
- Comfort pistol-grip handle
- Blade Length 10"/ 254mm or 12"/ 305mm
- Throat Depth 2-3/4" / 70mm

STANLEY SKU	Description	Box/CTN
15-565-S	10"-12" Hacksaw Adjustable Frame	6/6

HACKSAW STEEL FRAME



- · Positive locking mechanism
- Two blade position 90°/55°
- Aluminium handle 12" blades

STANLEY SKU	Description	Box/CTN
15-166	12" Hacksaw Steel Frame	6/36

HACKSAW ADJUSTABLE FRAME RUBBER GRIP



- Easy adjustment of frame for 10" and 12" blades
- Rigid steel frame with molded cushion grip
- D-shape guard helps protect hands and knuckles
- Blade Length 10" / 254mm or 12"/ 305mm
- Throat Depth 3-7/8" / 98mm

STANLEY SKU	Description	Box/CTN
15-265-S	8"-12" Hacksaw Adjustable Frame (Rubber Grip)	6/6



HACKSAW ADJUSTABLE FRAME RUBBER GRIP



- · Pack includes 2 hacksaws ideal for cutting metal & plastic
- · Rugged Design for heavy-duty use
- Quick Release blade changing mechanism maintains tension setting. Mni-Hack is lightweight, comfortable & durable
- · Mini-Hack's handle covers blade to help cover user's hand

STANLEY SKU	Description	Box/CTN
20-036M	10"-12" Hacksaw Adjustable Frame	8/8

PLASTIC HANDLE SAW



- Handle offers a square/mitre feature with 45° and 90° angles
- Contoured sturdy handle designed for comfort and control
- Full length protective sleeve

STANLEY SKU	Description	Box/CTN
STHT20080-8	18" x 6T/7P Crosscut Saw	12/48
STHT20081-8	20" x 6T/7P Crosscut Saw	12/48

BI-METAL HACKSAW BLADE



- Combines the flexibility of carbon steel backs with the cutting performance of a high-speed steel cutting edge
- Cuts most metals including unhardened tool steel and stainless-steel

STANLEY SKU	Description	Box/CTN
STHT20297-8	18T x 12" Bi-Metal Hacksaw Blade (100pcs)	6/6
STHT20298-8	24T x 12" Bi-Metal Hacksaw Blade (100pcs)	10
STHT20299-8	32T x 12″ Bi-Metal Hacksaw Blade (100pcs)	10

WOOD HANDLE SAW



- · Machine set and sharpened teeth for accurate cutting
- High carbon steel blade hardened and tempered for sharpness and durability
- · Comes with full length sleeve

STANLEY SKU	Description	Box/CTN
20-502-23	18" Wood Handle Cut Saw	12/24

CLAMPING MITRE BOX WITH SAW



- One piece injection moulded mitre box for strength and durability
- Holds material securely for accurate cuts
- Material secures to the base with a twist of the cam pins
- Cuts miters on 45° and 90° angles, face angle 45° and 22-1/2° angles
- Molded-in storage compartments hold cam pins and pencil Molded lip on base edge for easy use without mounting Complete with fine tooth built-in backsaw to prevent cutting into miter box
- Holes in base for fastening to workbench with patented cam lock clamping system which holds work piece securely in place.

08112863773

3-BLADE NEST-OF-SAWS



- Three Interchangeable blades fit into a comfortable molded handle
- Perfect for curves, circles and trim work

STANLEY SKU	Description	Box/CTN
15-090	3-Blade Nest-of-Saws	12/48





- Hardened tempered steel for durability
- Contoured molded handle provides comfort and control
- Fits all Stanley mitre boxes
- · Stiff steel back prevents bowing for straight cut

STANLEY SKU	Description
15-509-23	13 points 14″/350mm Back Saw

HEAVY DUTY BI-MATERIAL HANDSAW



HUBUNGI : 🜔 🖓 HOMEMART

FASTENING TOOLS

STANLEY is one of the preeminent manufacturers of fastening tools and is responsible for helping to elevate the performance of these must-have tools. The excellent quality coupled with durability has propelled the extensive range of fastening tools to be the most highly coveted in the world.





FASTENING TOOLS

GLUEPRO™ MINI HOT MELT GLUE GUN



- Small, portable size for quick gluing jobs in tight spaces
- Trigger-feed mechanism controls glue flow
- Uses GS10DT standard mini hot melt sticks
- Fold-out stand for safe, handy storage while in use

STANLEY SKU	Description	Box/CTN
69-GR10B-23	Mini Hot Melt Glue Gun 100-240V/15W Round Pin	6/36



- Small, portable size for quick gluing jobs in tight spaces
- Trigger-feed mechanism controls glue flow
- Uses GS10DT standard mini hot melt sticks
- · Fold-out stand for safe, handy storage while in use

STANLEY SKU	Description	Box/CTN
69-GR20B-23	Trigger Feed Hot Melt Glue Gun 100-240V/40W Round Pin	6/24

GLUEPRO™ MINI DUAL TEMP MELT GLUE GUN



- · Ideal for hobbies, crafts, and repairs
- · Convenient, one-touch high/low selector switch
- Uses mini dual-temperature glue on both settings and mini hotmelt on high settings
- · Fold-out stand for safe, handy storage while in use

STANLEY SKU	Description	Box/CTN
69-GR25B-23	Trigger Feed Dual Melt Glue Gun 100-240V/80W Round Pin	6/24

GLUEPRO™ CORD FREE 2-WAY GLUE GUN



- · Versatile glue gun works with or without cord
- · Cordless operation for up to 12 minutes
- · Heats up quickly
- Fold-out stand for safe, handy storage while in use

STANLEY SKU	Description	Box/CTN
69-GR90B-23	Cord Free 2-Way Glue Gun 100-240V/40W Round Pin	6/24



DUAL TEMP 4" MINI GLUE STICK



- For use in mini hot melt, low temperature, and dual temperature glue guns
- Excellent for bonding heat sensitive materials, as well as general applications

STANLEY SKU	Description	Box/CTN
GS10DT	1/4" x 4" Dual Temperature Glue Sticks (24pack)	5/60

DUAL TEMP 4" GLUE STICK



- For use in mini hot melt, low temperature, and dual temperature glue guns
- Excellent for bonding heat sensitive materials, as well as general applications
- Standard diameter glue sticks in 4" length

STANLEY SKU	Description	Box/CTN
GS20DT	7/6" x 4" Dual Temperature Glue Sticks (24pack)	5/50

SOLDERING IRON



- Suitable for soldering metals like copper, tin, brass and stained glass
- Working temperature reached in 2 minutes
- Slim pencil like handle for easy use and control

STANLEY SKU	Description	Box Qty
69-031B	30W/220V Round Pin Soldering Iron	20/80



- Suitable for soldering metals like copper, tin, brass and stained glass
- Working temperature reached in 2 minutes
- Slim pencil like handle for easy use and control

STANLEY SKU	Description	Box Qty	
69-033B	45W/220V Round Pin Soldering Iron	20/80	



- Suitable for soldering light gauge wires, thin metals and hobby work
- Reaches working temperature in 12 seconds
- Come with 2 soldering tips

STANLEY SKU	Description	Box Qty
69-041B	100W/220V Round Pin Soldering Iron	6/24

RIVETER



- · Spring-loaded handle ejects rivet stem automatically
- Slim-nose design fits in difficult-to-reach places
- · Long handle makes riveter easy to squeeze

HUBUNGI : DHOMEMART

STANLEY SKU	Description	Box/CTN
STHT69646-8	Medium-duty riveter 3 nozzles for 1/8", 5/32", 3/16" rivets	6
STHT69800-8	Heavy-duty riveter 4 nozzles for 3/32", 1/8", 5/32", 3/16" rivets	6



SHARPSHOOTER HEAVY-DUTY STAPLE GUN



- · Light duty pack with 1000 type A 8mm staples
- Metal body
- Anti jam

STANLEY SKU	Description
STHT70412-9	$TR45 + 1000 \mbox{ A type 8mm staples}$ (+Cut case of 6)



- Heavy duty pack including 3000 Staples
- Easy Squeeze trigger
 Anti Jam
- 2 in 1 design

STANLEY SKU	Description
STHT72674-9	TR250 + 3000 G type 10mm staples (+Cut case of 6)

SHARPSHOOTER HEAVY-DUTY STAPLE GUN



- · For light-duty household and crafting stapling jobs
- Colour-coded packaging makes size and product selection a cinch
- Sturdy plastic packaging reduces staple breakage
- Light-Duty Narrow Crown fits TR45 and Arrow® JT-21
- Heavy-Duty-NarrowCrownfitsTR110, TR200, TRE500 Series, PHT150, PHT250 and Arrow® T-50

STANLEY SKU	Description	Box/CTN
TRA704T	1/4" Heavy Duty Staples (1000pcs)	7/56
TRA705T	5/16" Heavy Duty Staples (1000pcs)	6/48

CUSHION GRIP SCREWDRIVER

\$		
STANLEY SKU	Description	Box Qty
STHT68012-8	6-Way Multi Bits Screwdriver (Quick Change)	6/24

- All-in-one screwdriver with 6 tips: #1 and #2
- Phillips®, 1/4" and 3/16" Slotted, 1/4" and 5/16" Nut Driver
- Ergonomically designed bi-material handle for superb comfort
- Tri-lobe shape fits hand comfortably
- Soft, diamond textured handle provides a firm grip for extra torque without strain
- · Bar is chrome-plated for rust resistance.
- · High quality bits for long life
- Available in an attractive 24 piece merchandiser
- Slip resistant rubber grip provides comfort



CUSHION GRIP SCREWDRIVER



- Bi-material (PP+TPR) soft grip handle providing excellent comfort
- Chrome Vanadium (Cr-V) blade for durability
- Magnetic tips for easy pick up and screw locator



- Bi-material (PP+TPR) soft grip handle providing excellent comfort
- Chrome Vanadium (Cr-V) blade for durability
- Magnetic tips for easy pick up and screw locator

Description	Box Qty
#0 x 75mm Phillips Cushion Grip S/Driver	12
#0 x 100mm Phillips Cushion Grip S/Driver	12
#0 x 125mm Phillips Cushion Grip S/Driver	12
#0 x 150mm Phillips Cushion Grip S/Driver	12
#0 x 175mm Phillips Cushion Grip S/Driver	12
#1 x 100mm Phillips Cushion Grip S/Driver	12
#1 x 150 Phillips Cushion Grip S/Driver	12
#1 x 200mm Phillips Cushion Grip S/Driver	12
#2 x 38mm Phillips Cushion Grip S/Driver	12
#2 x 100mm Phillips Cushion Grip S/Driver	12
#2 x 125mm Phillips Cushion Grip S/Driver	12
#2 x 150mm Phillips Cushion Grip S/Driver	12
#2 x 200mm Phillips Cushion Grip S/Driver	12
#2 x 250mm Phillips Cushion Grip S/Driver	12
#3 x 150mm Phillips Cushion Grip S/Driver	12
#3 x 200mm Phillips Cushion Grip S/Driver	12
#3 x 250mm Phillips Cushion Grip S/Driver	12
	 #0 x 75mm Phillips Cushion Grip S/Driver #0 x 100mm Phillips Cushion Grip S/Driver #0 x 125mm Phillips Cushion Grip S/Driver #0 x 150mm Phillips Cushion Grip S/Driver #0 x 175mm Phillips Cushion Grip S/Driver #1 x 100mm Phillips Cushion Grip S/Driver #1 x 150 Phillips Cushion Grip S/Driver #1 x 150 Phillips Cushion Grip S/Driver #1 x 200mm Phillips Cushion Grip S/Driver #2 x 38mm Phillips Cushion Grip S/Driver #2 x 100mm Phillips Cushion Grip S/Driver #2 x 125mm Phillips Cushion Grip S/Driver #2 x 150mm Phillips Cushion Grip S/Driver #2 x 150mm Phillips Cushion Grip S/Driver #3 x 150mm Phillips Cushion Grip S/Driver #3 x 200mm Phillips Cushion Grip S/Driver

STANLEY SKU	Description	Box Qty
STMT60817-8	3mm x 75mm Slotted Cushion Grip S/Driver	12
STMT60818-8	3mm x 100mm Slotted Cushion Grip S/Driver	12
STMT60819-8	3mm x 125mm Slotted Cushion Grip S/Driver	12
STMT60820-8	3mm x 150mm Slotted Cushion Grip S/Driver	12
STMT60821-8	5mm x 75mm Slotted Cushion Grip S/Driver	12
STMT60822-8	5mm x 100mm Slotted Cushion Grip S/Driver	12
STMT60823-8	5mm x 150mm Slotted Cushion Grip S/Driver	12
STMT60824-8	5mm x 200mm Slotted Cushion Grip S/Driver	12
STMT60825-8	6.5mm x 38mm Slotted Cushion Grip S/Driver	12
STMT60826-8	6.5mm x 100mm Slotted Cushion Grip S/Driver	12
STMT60827-8	6.5mm x 125mm Slotted Cushion Grip S/Driver	12
STMT60828-8	6.5mm x 150mm Slotted Cushion Grip S/Driver	12
STMT60829-8	6.5mm x 200mm Slotted Cushion Grip S/Driver	12
STMT60830-8	6.5mm x 250mm Slotted Cushion Grip S/Driver	12
STMT60832-8	8mm x 200mm Slotted Cushion Grip S/Driver	12
STMT60833-8	8mm x 250mm Slotted Cushion Grip S/Driver	12
STMT60833-8	8mm x 250mm Slotted Cushion Grip S/Driver	12

08112863773

CUSHION GRIP SCREWDRIVER



- Bi-material (PP+TPR) soft grip handle providing excellent comfort
- Chrome Vanadium (Cr-V) blade for durability
- · Magnetic tips for easy pick up and screw locator
- Three-sided handle allowing more torgue with anti-slip and anti rolling features reducing handle slippage

STANLEY SKU	Description	Box Qty
STHT65145-8	Cushion Grip™TORX T6 X 80 mm	12
STHT65147-8	Cushion Grip™ TORX T8 X 80 mm	12
STHT65148-8	Cushion Grip™ TORX T10 X 80 mm	12
STHT65149-8	Cushion Grip™ TORX T15 X 80 mm	12
STHT65150-8	Cushion Grip™ TORX T20 X 120 mm	12
STHT65152-8	Cushion Grip™ TORX T27 X 120 mm	12
STHT65153-8	Cushion Grip™ TORX T30 X 120 mm	12
STHT65154-8	Cushion Grip™ TORX T40 x 120mm	12



- · Package includes:
- Cushion Grip S/Driver PH2 x 100mm
- Cushion Grip S/Driver Slotted 6.5mm x 100mm

STANLEY SKU	Description	Box Qty
STMT66670	2pcs Cushion Grip S/Driver Set	24



- · Package includes:
- Cushion Grip S/Driver PH1 x 100mm
- Cushion Grip S/Driver PH2 x 150mm
- Cushion Grip S/Driver Std Parallel 5mm x 100mm
- Cushion Grip S/Driver Slotted 6.5mm x 100mm

STANLEY SKU	Description	Box Qty
STMT66671	4pcs Cushion Grip S/Driver Set	24



- · Package includes:
- Cushion Grip S/Driver PH1 x 100mm
- Cushion Grip S/Driver PH2 x 150mm
- Cushion Grip S/Driver Std Parallel 5 x 100mm
- Cushion Grip S/Driver Std Parallel 5 x 150mm
- Cushion Grip S/Driver Slotted 5 x 100mm
- Cushion Grip S/Driver Slotted 6.5 x 150mm



- Package includes:
- Cushion Grip S/Driver PH1 x 100mm
- Cushion Grip S/Driver PH2 x 38mm
- Cushion Grip S/Driver PH2 x 100mm
- Cushion Grip S/Driver Slotted 5 x 100mm
- Cushion Grip S/Driver Slotted 6.5 x 38mm
- Cushion Grip S/Driver Slotted 6.5 x 100mm
- Digital Voltage Tester (Bonus)



- · Package includes:
- Cushion Grip S/Driver PH0 x 75mm
- Cushion Grip S/Driver PH1 x 100mm
- Cushion Grip S/Driver PH2 x 38mm
- Cushion Grip S/Driver PH2 x 150mm
- Cushion Grip S/Driver Slotted 3mm x 75mm
- Cushion Grip S/Driver Slotted 5mm x 100mm
- Cushion Grip S/Driver Slotted 6.5mm x 38mm
- Cushion Grip S/Driver Slotted 6.5mm x 150mm

STANLEY SKU	Description	Box Qty
STMT66673	8pcs Cushion Grip S/Driver Set	12

STANLEY SKU STMT66672

Description	Box Qty	STANLEY SKU	Description	Box Qty
6pcs Cushion Grip S/ Driver Set	12	STMT66679	6pcs Cushion Grip S/ Driver Set w/Bonus	12

HUBUNGI :	ILA	мем	ADT
	Y		

17PCS C GRIP SCREWDRIVER SET



- Moulded handle to bar connection for longer life and more torque transfer from handle to screw
- Chrome vanadium bars for long life
- Large soft grip handles generate higher torque for easier screwing
- Hanging hole for easy storage or inserting lever
- Size and tip style clearly indicated on handle for easy screwdriver selection
- Complies with DIN and ANSI regulations
- Tool bag included, easy for storage each tool.
- Contents:
- 15pcs Screwdriver CRV blade, black tipping with magnetic tip. Hardness: 52-58HRC
- 5pcs Phillips: PH2X1-1/2", PH1X3", PH2x4", PH3X6" PH0X2-1/2" (pocket screwdriver)
- 2pcs square: S1X4", S2X4" 5pcs Slotted: 1/4"X1-1/2", 3/16"X3",1/4"X4", 5/16"X6", 1/8"X2- 1/2"(pocket screwdriver)
- 3pcs Torx: T15X3", T20X4", T25X4"
- 2pcs off set
- 6pcs precision screwdriver in plastic case
- 13pcs Hexkey
- 1pc nylon bag

Description
7PCS C grip screwdriver set

35 IN 1 SCREWDRIVER SET

- Material: Steel
- Magnetic bit holder for quick and secure changeover
- A Rubber Moulded Handle For Extra Comfort
- The Unique Case Holds Bits In Place That Would Otherwise Be Lost, Providing A Secure Storage Solution
- Rubber molded handle for added comfort

STANLEY SKU	Description	Box Qty
70-885	35 in 1 Screwdriver Set	24

BARU



TANG THROUGH SCREWDRIVER



- Easy color differentiation: Black for Phillips
- Heavy-duty purpose
- Material: Chrome vanadium hardness : 56-62
- Anti-slip design handle
- 18% bigger impact surface

STANLEY SKU	Description	Box Qty
1-65-250	6mm x 4" x #2 Tang Through (Phillips) S/Driver	12
1-65-251	6mm x 5" x #2 Tang Through (Phillips) S/Driver	12
1-65-252	6mm x 6" x #2 Tang Through (Phillips) S/Driver	12
1-65-257	8mm x 6" x #3 Tang Through (Phillips) S/Driver	12
1-65-258	8mm x 8" x #3 Tang Through (Phillips) S/Driver	12
1-65-259	8mm x 10" x #3 Tang Through (Phillips) S/Driver	12
1-65-260	8mm x 12" x #3 Tang Through (Phillips) S/Driver	12

- Easy color differentiation: Yellow for Slotted
- Heavy-duty purpose
- Material: Chrome vanadium hardness : 56-62
- Anti-slip design handle
- 18% bigger impact surface

6mm x 4" Tang Through	
(Slotted) S/Driver	12
6mm x 5" Tang Through (Slotted) S/Driver	12
6mm x 6" Tang Through (Slotted) S/Driver	12
8mm x 6" Tang Through (Slotted) S/Driver	12
8mm x 8" Tang Through (Slotted) S/Driver	12
8mm x 10" Tang Throug (Slotted) S/Driver	12
8mm x 12" Tang Through (Slotted) S/Driver	12
	6mm x 5" Tang Through (Slotted) S/Driver 6mm x 6" Tang Through (Slotted) S/Driver 8mm x 6" Tang Through (Slotted) S/Driver 8mm x 8" Tang Through (Slotted) S/Driver 8mm x 10" Tang Throug (Slotted) S/Driver 8mm x 12" Tang Through

2-WAY CUSHION GRIP MULTI BITS SCREWDRIVERMETA



- · Spring-loaded handle ejects rivet stem automatically
- Slim-nose design fits in difficult-to-reach places
- Long handle makes riveter easy to squeeze

STANLEY SKU	Description	Box Qty
65-201	2-Way Multi Bits Screwdriver (Quick Change)	12/72

9-WAY SCREWDRIVER



- Interchangeable bars maximize versatility
- Includes: 1/8" Standard Bar, 3/16" Standard Bar, 1/4" Standard Bar, 0pt Phillips® Bar, 1pt Phillips® Bar, 2pt Phillips® Bar, 1 Tack Puller, 1 Brad Awl, 1 Hook Driver

STANLEY SKU	Description	Box Qty
STHT62511-8	9-Way Screwdriver	6






- · Swivel-head handles provide tightening precisely
- Bright, plated shafts are fluted for a steady, solid grip
- Hardened and tempered steel blades with blued finish to resist corrosion
- Plastic storage case included

STANLEY SKU	Description	Box Qty
STHT66039-8	6 pcs Precision Screwdriver Set	12/72

6 PCS BI-MAT PRECISION SCREWDRIVER SET



- · Swivel-head handles provide tightening precisely
- Tough, plastic handles with soft cushion grip for comfort
- Plastic storage case included

STANLEY SKU	Description	Box Qty
STHT66052-8	6 pcs Bi-Mat Precision Screwdriver Set	6

VDE SCREW DRIVER



- Insulation directly injection-molded around the blade according to EN60900
- Ergonomic, shock resistant, anti slip handle and for greater torque to be applied with less effort
- Each screwdriver is individually tested to 10,000V in a water bath for 10 SCEa
- Hardness and torque values exceed ISO/ DIN standards

STANLEY SKU	Description	Box Qty
65-972	#0 x 60mm Phillips VDE S/Driver	12/240
65-973	#1 x 80mm Phillips VDE S/Driver	12/120
65-974	#2 x 100mm Phillips VDE S/Driver	12/120
65-975	#3 x 150mm Phillips VDE S/Driver	12/120

- Insulation directly injection-molded around the blade according to EN60900
- Ergonomic, shock resistant, anti slip handle and for greater torque to be applied with less effort
- Each screwdriver is individually tested to 10,000V in a water bath for 10 SCEa
- Hardness and torque values exceed ISO/ DIN standards

STANLEY SKU	Description	Box Qty
65-966	3mm x 100mm Slotted VDE S/Driver	12/240
65-967	4mm x 100mm Slotted VDE S/Driver	12/240
65-968	5.5mm x 125mm Slotted VDE S/Driver	12/120
65-969	6.5mm x 150mm Slotted VDE S/Driver	12/120
65-970	8mm x 175mm Slotted VDE S/Driver	12/120
65-971	10mm x 200mm Slotted VDE S/Driver	12/120

08112863773

SCREWDRIVER INSERT BIT SET



- Made from chrome vanadium steel
- Recommended for manual applications in multibit screwdrivers

STANLEY SKU	Description	Box Qty
68-070-23	9 pcs Screwdriver Insert Bit Set	6/36



- Made from chrome vanadium steel
- Recommended for manual applications in multibit screwdrivers

STANLEY SKU	Description	Box Qty
68-071-23	29 pcs Screwdriver Insert Bit Set	6/48



- Made from chrome vanadium steel
- Recommended for manual applications in multibit screwdrivers

STANLEY SKU	Description	Box Qty
68-075-23	36 pcs Screwdriver Insert Bit Set	6/36

RATCHETING MULTIBIT SCREWDRIVER



- Three-position switch enables clockwise and counter-clockwise ratcheting and locked position
- Bit storage in handle for quick and easy access
- Ergonomically designed handle
- Magnetic bit holder for speedy and secure changeover of bits
- Includes: 3/16" Standard, 1/4" Standard, 1pt
- Phillips®, 2pt Phillips®, T15 Torx, T20 Torx, 1pt Pozi, 2pt Pozi, 1pt Square, 2pt Square, Storage RackIncludes: 3/16" Standard, 1/4" Standard, 1pt Phillips®, 2pt Phillips®, T15 Torx, T20 Torx, 1pt Pozi, 2pt Pozi, 1pt Square, 2pt Square, Storage Rack

RING HEX KEY SET







STANLEY SKU	Description	Box Qty
69-253	10 pcs Metric Hex Key Set (Black) 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm	12/72
69-254	10 pcs Imperial Hex Key Set (Black) 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8″	12/72

LONG ARM HEX KEY SET



STANLEY SKU	Description	Box Qty
69-256	9 pcs Metric Long Arm Ballpoint Hex Key Set 1.5/2/2.5/3/4/5/6/8/10 mm – Ball tips	6/36
69-257	12 pcs Metric Long Arm Ballpoint Hex Key Set 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" – Ball tips	6/36

BALLPOINT HEX KEY



STANLEY SKU	Description	Box Qty
69-119	9 pcs Metric Ballpoint Hex Key Set (Chrome) 1.5,2,2.5,3,4,5,6,8,10mm	6/36

FOLDING TORX KEY SET



STANLEY SKU	Description	Box Qty
69-263	8 pcs Folding Torx Key Set	12/72

FOLDING HEX KEY SET



STANLEY SKU	Description	Box Qty
69-260	5 pcs Folding Imperial Hex Key Set (Black & Plastic Package) 3/16, 7/32, 1/4, 5/16, 3/8″	12/72
69-262	7 pcs Folding Metric Hex Key Set (Black & Plastic Package) 1.5, 2, 2.5, 3, 4, 5, 6mm	12/72
69-259	9 pcs Folding Imperial Hex Key Set (Black & Plastic Package) 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	12/72





STANLEY SKU	Description	
STMT94158-8-23	9 pcs Extra Long Spherical Metric Hex Key Set	



FINISHING TOOLS

STANLEY is proud of its long-standing commitment to manufacturing some of the world's best finishing tools.

As you peruse this category, remember that behind every finishing tool is more than 140 years of tool-manufacturing experience, skill, and of course, Stanley's unflagging commitment to excellence.





HANDYMAN PLANE



STANLEY SKU	Description	Box/CTN
1-12-203	Handyman Bench Plane (210mm)	1/6

- Chrome carbon steel cutter hardened and tampered to retain a keen cutting edge
- · Finger tip adjustment for depth of cut and cutter alignment
- · Fully adjustable frog for all tasks and timber types
- · Kidney shaped lever cap screw hole prevents accidental slippage of cutter
- · Precision cast fine grey iron base for stability and wear resistance
- · Tight fitting spring steel cap iron for perfect shaving flow
- Virtually unbreakable polypropylene handle and knob shaped for comfort

BAILEY® PROFESSIONAL PLANE



· General purpose planes for workshop, site or fine finishing or high quality work

STANLEY SKU	Description	Box/CTN
1-12-004	Bailey® Professional Smoothing Plane (250 x 50mm)	1/6



· For stock removal and truing up long edges or leveling wide boards

STANLEY SKU	Description	Box/CTN
1-12-006	Bailey® Professional Fore Plane (455 x 60mm)Rum	1/1



- · For rapid stock removal prior to commencing construction work
- A good general purpose plane

STANLEY SKU	Description	Box/CTN
1-12-204	Handyman Bench Plane (250 x 50mm)	1/6





· For accurate truing of long edges

STANLEY SKU	Description	Box/CTN
1-12-007	Bailey® Professional Jointer Plane (560 x 60mm)	1/1



BLOCK PLANE



• Small block plane - ideal for use by model makers

STANLEY SKU	Description	Box/CTN
1-12-102	#102 Block Plane (140 x 34mm)	1/6



 For stock removal and truing up long edges or leveling wide boards

STANLEY SKU	Description	Box/CTN
1-12-020	#9-1/2 Block Plane (160 x 40mm)	1/6




- Low angle cutter seats at 13-1/2"
- For end grain and plastic laminates

STANLEY SKU	Description	Box/CTN
1-12-060	#60-1/2 Block Plane (150 x 35mm)	1/6



- Adjustable for depth of cut and alignment
- General purpose

STANLEY SKU	Description	Box/CTN
1-12-220	#220 Adjustable Block Plane (178 x 40mm)	1/6



HUBUNGI : DHOMEMART

BLOCK PLANE



- \bullet Iron is made from extra-thick 1/8" (3.18 mm) A2 steel for excellent edge retention
- One-piece base and frog virtually eliminate chatter
- Cherry wood handle and knob for comfort
- Norris-type adjuster with lateral locking feature
- Adjustable throat plate for different types of wood

STANLEY SKU	Description	Box/CTN
1-12-136	No. 4 SweetHeartTM Smoothing Bench Plane (250 x 50mm) - Wood Handle	1/4

BLOCK PLANE BLADE REPLACEMENT



STANLEY SKU	Description	Box Qty
0-12-508	Block Plane Blade for 1-12-020/220	6/6
0-12-504	Block Plane Blade for 1-12-060 1.1/8"	6/6

MINI ROLLER REFILL



STANLEY SKU	Description	Box Qty
5-29-078	Pack of 10 Mini Roller Refill Acrylic	10/20

ALLMASTER PAINT BRUSH



- Long bristle for durability and superior finish
- Wooden handle for comfort in use
- Stainless steel ferrules
- Superior finish with all paints

STANLEY SKU	Description	Box Qty
29-033-1	2" Allmaster Paint Brush	12/144





LASER LEVELING

From groundworks upwards, starting with the basics is essential to the smooth running of every construction project.

The **STANLEY** laser level range provides every type of laser tool designed for pinpoint accuracy from small to large distances, inside and out.



HUBUNGI : 🜔 🖓 HOMEMART

4V1H RED MULTILINE LASER + TRIPOD (KIT BOX)





Accuracy Test Lab tested ensuring the layout work is done right.



Drop Resistance Protects against accidental drop & shock.

M

IP Rating 3rd party certified IP54 rating.



Working Environment -5°C to 45°C operation.

STANLEY SKU	Working Range	Accuracy
STHT77513-8	10m	± 2mm @10m
Ip Rating	Working Range with Detector	Leveling Type

AL32 FATMAX AUTO-MATIC OPTICAL LEVEL



- 32x automatic optical level for larger site setting out and levelling
- Precision optics ensure accurate measurement over long distances
- Large easy to use focusing knob
- 1:100 Stadia for estimating distance
- Sealed, dust & water protected for working in all condition (IP54)

STANLEY SKU	Working Range	Accuracy
1-77-245	1m-107m	± 1.6mm @75m
Ip Rating	Laser Diode(s)	Leveling Type

AL24 GVP LEVELLING SET



- Large effective aperture with 30 cms minimum range
- 1:100 Stadia for estimating distance 24x Magnification
- Easy-to-read horizontal scale
- Sealed, dust-protected leveling screws
- 5/8" x 11 threads to fit standard tripods
- Prism Makes it easier to view the bubble

STANLEY SKU	Working Range	Accuracy
1-77-160	90m	± 1.6mm @45m
Ip Rating	Laser Diode(s)	Leveling Type



LASER MEASURING

To ensure precise measurement of the site or task in hand, you need to make sure you use the right type of measuring tool.

STANLEY offer both true laser measurers (TLMs) for pinpoint accuracy with complex functions as well as measuring wheels for long distance measuring and surveying up to 9999m.



TLM30 POCKET LASER DISTANCE MEASURER



- Capture measurements on the go with the STANLEY TLM30 Pocket Laser Distance Measurer.
- The Pocket size is easy to carry and 9m range is great for most interior measurements.
- Continuous measurement
- One Button Operation

STANLEY SKU	Working Range	Accuracy	Battery Type
STHT77425	0.15 – 9m	± 6mm @9m	Li-Ion



- 20m / 65Ft Measuring Range with +/-3mm @10m accuracy and a visible range of 20m
- Ease to Use 2 Button Operation ON/ measure button for taking measurement COG button for changing function
- 2 Points measurement system, measurement can be taken from either the top or base of unit. For flexibility in different measuring scenarios

STANLEY SKU	Measuring	Auto Power	Power
	Range	Saving	Source
STHT77065-0	20M / 65Ft	120 secs (Laser) 180 secs (Screen)	2 x AAA Batteries (inc)



- 30m / 100Ft Measuring Range with +/-3mm @10m accuracy and a visible range of 30m
- Ease to Use 2 Button Operation ON/ measure button for taking measurement COG button for changing function
- 2 Points measurement system, measurement can be taken from either the top or base of unit. For flexibility in different measuring scenarios

STANLEY SKU	Measuring	Auto Power	Power
	Range	Saving	Source
STHT77100-0	30M / 100Ft	120 secs (Laser) 180 secs (Screen)	2 x AAA Batteries (inc)

08112863773

TLM165 50M LASER DISTANCE MEASURER



- Measures distance; Calculates area, volume, and pythagoras.
- Continuous measurement to help find target distance quickly and easily
- Addition and subtraction for calculating consecutive measurements
- 5 memory storage function

1

STANLEY SKU	Working Range	Accuracy	IP Rating
STHT1-77139	0.15 - 50m	± 1.5mm @10m	IP 54

TLM330 100M LASER DISTANCE MEASURER



- Measures distance; Calculates area, volume, and Pythagoras (1, 2, 3).
- Continuous measurement to help find target distance quickly and easily
- Addition and subtraction for calculating consecutive measurements
- 20 memory storage function

STANLEY SKU	Working Range	Accuracy	IP Rating
STHT1-77140	0.05m - 100m	± 1.0mm	IP 54



HUBUNGI : 🜔 GHOMEMART

LAYOUT TOOLS

Straight lines and angles will never be a problem again, not if **STANLEY** is involved. For over 150 years, **STANLEY** has been perfecting and making layout tools. Featuring levels, squares and chalk line markings, this category promises precision and distinction.



CLASSIC BOX-BEAM LEVEL



- Soft material used to make shock absorbing end caps
- · Excellent accuracy with 2 plumb vials for easy readability
- Strong yet lightweight aluminum frame
- Milling surface to provide better accurate measurement

STANLEY SKU	Description	Box/CTN
STHT43102-8	16" / 40cm Classic Box Beam Level w/ 2 Vials	-/10
STHT43103-8	24" / 60cm Classic Box Beam Level w/ 2 Vials	-/10
STHT43104-8	30" / 80cm Classic Box Beam Level w/ 2 Vials	-/10
STHT42075-8	48" / 120cm Classic Box Beam Level w/ 3 Vials	-/10
STHT42797	Standard Box Beam 16″/40cm	-/10
STHT42798	Standard Box Beam 24"/60cm	-/10

MAGNETIC TORPEDO LEVEL



I-BEAM THRIFTY LEVEL



- Durable, lightweight aluminum construction for all purpose use
- Yellow vial covers increase visibility and readability
- Comfortable hand holes for easy handling

STANLEY SKU	Description	Box/CTN
STHT42072-8	12" I-Beam Thrifty Level w/ 3 Vials	10/10
STHT42073-8	18" I-Beam Thrifty Level w/ 3 Vials	5/5
STHT42074-8	24" I-Beam Thrifty Level w/ 3 Vials	5/5
STHT42075-8	36" I-Beam Thrifty Level w/ 3 Vials	5/5
STHT42076-8	48" I-Beam Thrifty Level w/ 3 Vials	5/5

08112863773

FATMAX[™] I-BEAM LEVEL



- Ergonomic Aluminum body removes excess dirt and prolongs life
- Magnified center vial for increased user comfort
- Vials with accuracy of 0.5mm/m for improved exactness
- MaxEdge center vial : bridged center vial for continuous marking surface
- Pencil clip included for convenient marking
- Shock absorbing end capes makes it long lasting and shock resistant

STANLEY SKU	Description	Box/CTN
43-554	24" / 60cm FatMax I-Beam Magnetic Level	2

CLASSIC MAGNETIC BOX-BEAM LEVEL



FATMAX[™] XTREME BOX BEAM LEVEL



- Same features as non-magnetic Box Beam Levels but with rare earth magnets
- Rare earth magnets are twice as strong as basic strip magnets and are built into the level for stability

STANLEY SKU	Description	Box/CTN
43-625	24" FatMax Xtreme Magnetic Box-Beam Level	3/3
43-649	48" FatMax Xtreme Magnetic Box-Beam Level	3/3



- Embossed graduations and figures on workhardened steel
- · Metric roofing table
- · Buffed finish with a clear lacquer that resists rust

STANLEY SKU	Description	Box/CTN
45-530	Steel Rafter/Roofing Square Metric	6/6

TRY SQUARE PROFESSIONAL



• Try square with stamped graduations and figures

- Cast Zinc handle
- Metric/Imperial marking on ruler

STANLEY SKU	Description	Box/CTN
STHT46530-8	6" / 152mm Try Square Professional	124
STHT46532-8	8" / 203mm Try Square Professional	124
STHT46534-8	10″ / 254mm Try Square Professional	124
STHT46536-8	12" / 305mm Try Square Professional	124

HUBUNGI : DI COMEMART

STANLEY® STEEL CARPENTER SQUARE



- Tempered steel designed for durability
- Deep graduations for easy reading on face and back
- · Surface protected with a clear finish that resists rust
- Reverse reading scale makes measuring more efficient

STANLEY SKU	Description	Box/CTN
45-500 (Imperial)	Steel Carpenter Square Imperial	1/4
45-600	Steel Carpenter Square Metric-Imperial	6/6

COMBINATION SOLIARE



- Try square with stamped graduations and figures
- Cast zinc handle
- Metric / Imperial marking on ruler

STANLEY SKU	Description	Box/CTN
46-028	12″ Die-Cast Combination Square Metric	3/3

CHALK LINE



- Stainless steel end hook for added durability and rust prevention
- High impact ABS case for durability
- Sliding door for quick and easy refill




STANLEY SKU	Description	Box/CTN
STHT 47-440	30m / 100' Chalk Line Reel	6
STHT47-443	30m Chalk Line Set	2



- Kit contains one 100ft (30m) polypropylene chalk reel and 4oz (113gm)chalk container with blue chalk
- 3 1/2 to 1 gear ratio for 3.5 times faster rewind
- ClearView case to see the amount of chalk left inside
- Case holds 45g chalk
 Weight and style combination
- provides plumb bob utilityStainless steel end hook does
- not rust
- Sliding door for quick and easy refill

STANLEY SKU	Description	Box/CTN
47-465	Powerwinder Chalk Line Set (Red Chalk)	5/5

CHALK REFILL



- Water Resistant
- Good resistance to all atmospheric conditions
- Blue: All round colour for interior and exterior use
- Red: Easier to use for external masonry work, inedible, easy to use

STANLEY SKU	Description	Box/CTN
47-803-1-23	230gr / 8oz Chalk Refill Blue	12/12



HUBUNGI : 🜔 🖓 HOMEMART

MATERIAL HANDLING

Designed for the challenges of real working environments, every STANLEY® truck combines user friendly features with rugged build quality for safe, easy and secure moving, whatever the load. When you choose a STANLEY® truck, you can be sure of reliable performance, day after day, year after year. That's why every model is built to last with a 5 Year Limited Warranty as standard. STANLEY® trucks are designed from the ground upwards; choose from different chassis types, handle configurations including knuckle protection and a range of wheel options to provide you with the ideal STANLEY® truck for the job.



MATERIAL HANDLING

STEEL MULTI TRUCK



- · Easy and secure handling with this steel hand truck and extra large loading platform for commercial use.
- Made of durable steel. Guides on the back allow for easy handling on large obstacles like stairs. Large pneumatic wheels allow for easy movement in indoor and outdoor situations.
- Move your heavy loads, boxes, furniture easy and safely. Heavy duty castors allow for precise steering in platform modus.
- Available with both pneumatic and solid PU wheels

STANLEY SKU	Desci	ription	Capaci (Kg)	ty Weight (kg)
STST98372		//T519 Multi uck	150 / 20	13,6
Overall Dime	entions	Loadplate	size	Wheels
460 mm X 580 mm	X 1435 mm	355 mm X 8	50 mm 🛛	260 mm Solid PU

STEEL HAND TRUCKS



Side view

٠	Made of	tough	steel	for	added	strength	and	durability
---	---------	-------	-------	-----	-------	----------	-----	------------

- · Move heavy loads, boxes, furniture easily and safely
- Ergonomic handles with knuckle covers
- Available with both pneumatic and solid PU wheels

STANLEY SKU	Description		Capacity (Kg)	v Weight (kg)
STST98367	STANLEY HT523 Steel Hand Truck		200	13,8
Overall Dim	entions	Basepla	te size	Wheels
590 mm x 520 mn	n x 1190 mm	305 mm X	240 mm	3X 150 mm PP

STEEL FOLDING HAND TRUCKS

- · Made of tough steel for added strength and durability
- Top frame slides into bottom frame for convenient storage and include knuckle protection
- · Move heavy loads, boxes, furniture easily and safely
- Ergonomic handles with knuckle covers

STANLEY SKU	Descriptio	n	Capacit (Kg)	y Weight (kg)
STST98370	STANLEY FT521 Folding Hand Truck		120	15
Folded / Unfolded Dimentions		Base si		Wheels
430 mm X 480 mm X 800 mm 660 mm X 480 mm X 1130 mm		310 mn m		3X 150 mm TPR



HUBUNGI : 🜔 🕞 HOMEMART

FOLDING HAND TRUCKS





Folded standard view

- · Folds and opens in seconds
- Easy to use and store and comes 100% fully assembled
- Compact design made of lightweight and durable aluminum
- Major plastic stress points made of durable plastic
- · Soft grip handle for added comfort

STANLEY SKU	Descript	on	Capacity (Kg)	Weight (kg)
STST98070	STANLEY FT501 Folding Hand Truck with Basket Holder		70	3,3
Folded / Unfol	ded Dimentions	Baseplate size	w	heels
	mm X 635 mm mm X 1000 mm	390 mm X 28 mm		7 mm R+PP

- · Folds and opens in seconds. Easy to Use and Store
- Comes 100% fully assembled
- Made of strong durable steel
- · Major plastic stress points are made of durable nylon; other pieces are polypropylene

STANLEY SKU	Descriptio	n	Capacity (Kg)	Weight (kg)
STST98023	STANLEY FT584 Folding 30 Stair Climber		30 / 60	3,5
Folded / Unfold	led Dimentions		plate ze	Wheels

2-IN-1 FOLDING TRUCK



- Cart
- Strong and Durable Design • Made of strong and durable
- steel
- Takes Seconds to Open and Close
- Easy-to-Use Versatile Utility Major plastic stress points are made of durable nylon; other plastic pieces are polypropelene
 - · Hand truck and platform cart in one

STANLEY SKU	Description		Capacity (Kg)	Weight (kg)
STST98375	STANLEY SX 2-in-1 Fold		70 / 137	7,4
Folded / Platfo Truck Dime		Basepla Platfo		Wheels



MEASURING TOOLS

STANLEY is the pioneer in measuring tools. We invented the first steel tape rules in 1930. In 1963, the classic D-shaped PowerLock® design was introduced. It had the world's first coil-able spring and sliding lock, elements that continue to be the core of modern day designs. PowerLock® was also a part of Apollo 11's Lunar Landing Gear in 1969.



ANLEY

08112863773 CHAT ONLY

MEASURING TOOLS

MEASUREMENT TAPE



- High-impact ABS case for durability
- Corrosion-resistant Tru-Zero® end hook for accurate measurements

STANLEY SKU	Description	Box/CTN
STHT30204-840	3m/10' x 13mm Metric/Imperial	6
STHT33989-840	5m/16' x 19mm Metric/Imperial	6
STHT33994-840	8m/26' x 25mm Metric/Imperial	6

RUBBERGRIP® TAPE RULES



- Exclusive cushion grip built into case for comfortable non- slip and impact resistance
- · Lacquered blade for maximum durability
- Improved blade readability with high contrast colour easy to read in all lighting conditions
- Massive bumper designed for increased hook life

STANLEY SKU	Description	Box/CTN
30-608L	3m Rubber Grip Bi-Material Tape	6/36
30-611L	3.5m Rubber Grip Bi-Material Tape	6/36

TYLON™ TAPE RULES



- Tylon coated blade provides anti-glare readings
- Soft touch case
- Tru-Zero® hook for accurate internal and external measurements

STANLEY SKU	Description	Box/CTN
STHT36193	3m x 13mm Tylon Tape	6
STHT36194	5m x 19mm Tylon Tape	6
STHT36195	8m x 25mm Tylon Tape	6
STHT36194L	5m/16in. x 19mm Tylon Short Tape Tray Pack	6

POWERLOCK® TAPE RULES



- High impact chrome ABS case for tough onsite jobs
- Mylar polyester Im extends life of entire blade
- Corrosion-resistantTru-Zereond® hookfor accurate measurements

STANLEY SKU	Description	Box/CTN
STHT33215-8	3.5m x 13mm Powerlock Tape	6
STHT33158-8	5m x 19mm Powerlock Tape	6
STHT33428-8	8m x 25mm Powerlock Tape	6
STHT33463-8	10m x 25mm Powerlock Tape	6



FIBERGLASS BLADE LONG TAPE RULES

STEEL BLADE LONG TAPE RULES



- High-impact case for durability
- · Reinforced fiberglass blade for accurate measurements
- High visibility case make it easy to detect on the job

STANLEY SKU	Description	Box/CTN
STHT34260-8	15m / 50' Long Tape Closed Fiberglass Blade	6
STHT34262-8	30m / 100' Long Tape Closed Fiberglass Blade	6
STHT34263-8	50m / 165' Long Tape Closed Fiberglass Blade	6



- Polymer coated blade withstands abrasion
- · Easy-wind drum for efficient retraction
- · Belt clip for hands-free usage and convenient transportation

STANLEY SKU	Description	Box/CTN
STHT34104-8	15m / 50' Long Tape Closed Steel Blade	6
STHT34107-8	30m / 100' Long Tape Closed Steel Blade	6

OPEN REEL FIBERGLASS BLADE LONG TAPE RULES



- Double sided blade graphics for an easy read
- Corrosion-resistant Tru-zero folding end hook for accurate measurements
- · Grip handle for comfortable portage

STANLEY SKU	Description	Box/CTN
STHT34791-8	30m / 100' Open Reel Fiberglass Blade Long Tape	2
STHT34794-8	60m / 200' Open Reel Fiberglass Blade Long Tape	2

HUBUNGI : DHOMEMART



MECHANIC TOOLS

Manufactured for use with air or electric power impact tools the **STANLEY** AUTOMOTIVE Impact Standard Socket range are designed to stand up to extreme stresses - even in the toughest conditions.

The range includes a wide variety of common sizes and bit profiles as well as couplers, extension bars and bit holders, so you're never short of an option.

HUBUNGI : 🜔 🖓 HOMEMART

08112863773

difficult

STA

MECHANIC TOOLS

IMPACT DEEP SOCKET



STANLEY ANSI STANDARD



D2





STANLEY SKU	Description	Box Qty
STMT91379-8B	1/2" 6pts Deep Impact Socket - 12mm	10
STMT92959-8B	1/2" 6pts Deep Impact Socket - 10mm	10
STMT87501-8B	1/2" 6pts Deep Impact Socket - 14mm	10
STMT87504-8B	1/2" 6pts Deep Impact Socket - 17mm	10
STMT87506-8B	1/2" 6pts Deep Impact Socket - 19mm	10

STANLEY SKU	Description	Box Qty
STMT73444-8B	3/8" Deep Impact Socket 8mm	10
STMT73445-8B	3/8" Deep Impact Socket 9mm	10
STMT73446-8B	3/8" Deep Impact Socket 10mm	10
STMT73447-8B	3/8" Deep Impact Socket 11mm	10
STMT73448-8B	3/8" Deep Impact Socket 12mm	10
STMT73449-8B	3/8" Deep Impact Socket 13mm	10
STMT73450-8B	3/8" Deep Impact Socket 14mm	10
STMT73453-8B	3/8" Deep Impact Socket 17mm	10
STMT73455-8B	3/8" Deep Impact Socket 19mm	10



IMPACT STANDARD SOCKET

STANLEY ANSI STANDARD



_	D2	
Ļ	\sim	7
Ć	\cup	\supset
-	D1	



STANLEY SKU	Description	Box Qty
STMT89436-8B	1/2" Impact Standard Socket 9 mm	10
STMT89437-8B	1/2" Impact Standard Socket 10 mm	10
STMT89438-8B	1/2" Impact Standard Socket 11 mm	10
STMT89439-8B	1/2" Impact Standard Socket 12 mm	10
STMT89440-8B	1/2" Impact Standard Socket 13 mm	10
STMT89441-8B	1/2" Impact Standard Socket 14 mm	10
STMT89442-8B	1/2" Impact Standard Socket 15 mm	10
STMT89443-8B	1/2" Impact Standard Socket 16 mm	10
STMT89444-8B	1/2" Impact Standard Socket 17 mm	10
STMT89447-8B	1/2" Impact Standard Socket 20 mm	10
STMT89449-8B	1/2" Impact Standard Socket 22 mm	10
STMT89450-8B	1/2" Impact Standard Socket 23 mm	10
STMT89451-8B	1/2" Impact Standard Socket 24 mm	10
STMT89452-8B	1/2" Impact Standard Socket 25 mm	10
STMT89453-8B	1/2" Impact Standard Socket 26 mm	10
STMT89454-8B	1/2" Impact Standard Socket 27 mm	10
STMT89456-8B	1/2" Impact Standard Socket 30 mm	10
STMT89457-8B	1/2" Impact Standard Socket 31 mm	10
STMT89458-8B	1/2" Impact Standard Socket 32 mm	10





	. 03	
Ī	<u> </u>	
ł		
Т		
L	ᅳ	<u> </u>
1	<u> </u>	
	. D.	

STANLEY SKU	Description	Box Qty
STMT89397-8B	3/4" 6pts Impact Standard Socket 19 mm	5
STMT89398-8B	3/4" 6pts Impact Standard Socket 20 mm	4
STMT89399-8B	3/4" 6pts Impact Standard Socket 21 mm	4
STMT89400-8B	3/4" 6pts Impact Standard Socket 22 mm	5
STMT89401-8B	3/4" 6pts Impact Standard Socket 23 mm	4
STMT89402-8B	3/4" 6pts Impact Standard Socket 24 mm	4
STMT89403-8B	3/4" 6pts Impact Standard Socket 25 mm	4
STMT89404-8B	3/4" 6pts Impact Standard Socket 26 mm	5
STMT89405-8B	3/4" 6pts Impact Standard Socket 27 mm	5
STMT89406-8B	3/4" 6pts Impact Standard Socket 28 mm	5
STMT89407-8B	3/4" 6pts Impact Standard Socket 29 mm	4
STMT89408-8B	3/4" 6pts Impact Standard Socket 30 mm	5
STMT89409-8B	3/4" 6pts Impact Standard Socket 31 mm	4
STMT89410-8B	3/4" 6pts Impact Standard Socket 32 mm	4
STMT89411-8B	3/4" 6pts Impact Standard Socket 33 mm	4
STMT89412-8B	3/4" 6pts Impact Standard Socket 34 mm	4
STMT89413-8B	3/4" 6pts Impact Standard Socket 35 mm	4
STMT89414-8B	3/4" 6pts Impact Standard Socket 36 mm	4
STMT89416-8B	3/4" 6pts Impact Standard Socket 38 mm	4
STMT89417-8B	3/4" 6pts Impact Standard Socket 40 mm	2
STMT89418-8B	3/4" 6pts Impact Standard Socket 41 mm	4
STMT89419-8B	3/4" 6pts Impact Standard Socket 43 mm	2
STMT89420-8B	3/4" 6pts Impact Standard Socket 45 mm	2
STMT89421-8B	3/4" 6pts Impact Standard Socket 46 mm	2
STMT89422-8B	3/4" 6pts Impact Standard Socket 48 mm	2
STMT89423-8B	3/4" 6pts Impact Standard Socket 50 mm	2
STMT89424-8B	3/4" 6pts Impact Standard Socket 52 mm	2
STMT89426-8B	3/4" 6pts Impact Standard Socket 55 mm	2

HUBUNGI : DHOMEMART



DEEP SOCKET



- ASME B107.5M, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive[™] system helps reduce fastener rounding
- Chrome vanadium steel for manual use

STANLEY SKU	Description	Box Qty
STMT73324-8B	1/2" 6pts Deep Socket 10 mm	8
STMT73326-8B	1/2" 6pts Deep Socket 12 mm	8
STMT73328-8B	1/2" 6pts Deep Socket 14 mm	8
STMT73331-8B	1/2" 6pts Deep Socket 17 mm	6
STMT73333-8B	1/2" 6pts Deep Socket 19 mm	4
STMT73334-8B	1/2" 6pts Deep Socket 21 mm	6
STMT73335-8B	1/2" 6pts Deep Socket 22 mm	5







- ASME B107.5M, DIN 3124, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Chrome vanadium steel
- · For manual use

STANLEY SKU	Description	Box Qty
STMT72874-8B	1/4" 6pts Standard Socket 4.5mm	18
STMT72876-8B	1/4" 6pts Standard Socket 5.5mm	18
STMT72879-8B	1/4" 6pts Standard Socket 8mm	18
STMT72881-8B	1/4" 6pts Standard Socket 10mm	15
STMT72882-8B	1/4" 6pts Standard Socket 11mm	13



- ASME B107.5M, DIN 3124, ISO 1174-1, ISO 1711-1, ISO 691
- Maxi-Drive[™] system helps reduce fastener rounding
- Chrome vanadium steel
- For manual use

STANLEY SKU	Description	Box Qty
STMT72895-8B	3/8" 12pts Standard Socket - 6mm	12
STMT72899-8B	3/8" 12pts Standard Socket - 10mm	14
STMT72901-8B	3/8" 12pts Standard Socket - 12mm	12
STMT72903-8B	3/8" 12pts Standard Socket - 14mm	11
STMT72904-8B	3/8" 12pts Standard Socket - 15mm	11
STMT72906-8B	3/8" 12pts Standard Socket - 17mm	14
STMT72913-8B	3/8" 12pts Standard Socket - 24mm	7




STANDARD SOCKET









STANLEY SKU	Description	Box Qty
STMT89319-8B	3/4" 6pts Socket 19 mm	4
STMT89322-8B	3/4" 6pts Socket 22 mm	4
STMT89324-8B	3/4" 6pts Socket 24 mm	4
STMT89325-8B	3/4" 6pts Socket 25 mm	4
STMT89327-8B	3/4" 6pts Socket 27 mm	4
STMT89328-8B	3/4" 6pts Socket 28 mm	4
STMT89330-8B	3/4" 6pts Socket 30 mm	4
STMT89333-8B	3/4" 6pts Socket 33 mm	4
STMT89334-8B	3/4" 6pts Socket 34 mm	4
STMT89341-8B	3/4" 6pts Socket 41 mm	4

- ASME B107.5M, DIN 3124, ISO 1174-1, ISO 1711-1, ISO 691
- Chrome vanadium steel
- For manual use









- ASME B107.34M
- Chrome vanadium steel
- · For manual use

STANLEY SKU	Description	Box Qty
STMT88996-8B	1/2" 12pts Spark Plug Socket 21mm	4



STANLEY







- ASME B107.34M
- Chrome vanadium steel
- For manual use

STANLEY SKU	Description	Box Qty
STMT88941-8B	3/8" 6 PTS Spark Plug Socket 16mm	2

• ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174- 1, ISO 691

S2 Steel Bit

• HRC 60 +/- 2, 20% higher torque vs Cr-V

• For manual use

STANLEY SKU	Description	Box Qty
STMT73385-8B	1/2" Long Hex Bit Socket 7 mm	6
STMT73386-8B	1/2" Long Hex Bit Socket 8 mm	6
STMT73387-8B	1/2" Long Hex Bit Socket 10 mm	6
STMT73388-8B	1/2″ Long Hex Bit Socket 12 mm	6



STANDARD SOCKET





- Full polish finish, double-nickel with chrome plating for extra rust resistance and prolonged life
- Round head ratchet for tight access area
- Anti-slip and durable knurled metal handle design suit most industrial applications
- Flip drive ratchet head for easy directional rotation

STMT72933-8B	1/2" 6pts Standard Socket 8 mm	45
		15
STMT72934-8B	1/2" 6pts Standard Socket 9 mm	15
STMT72935-8B	1/2" 6pts Standard Socket 10 mm	15
STMT72936-8B	1/2" 6pts Standard Socket 11 mm	15
STMT72937-8B	1/2" 6pts Standard Socket 12 mm	15
STMT72938-8B	1/2" 6pts Standard Socket 13 mm	15
STMT72939-8B	1/2" 6pts Standard Socket 14 mm	15
STMT72940-8B	1/2" 6pts Standard Socket 15 mm	15
STMT72941-8B	1/2" 6pts Standard Socket 16 mm	14
STMT72942-8B	1/2" 6pts Standard Socket 17 mm	12
STMT72943-8B	1/2" 6pts Standard Socket 18 mm	12
STMT72944-8B	1/2" 6pts Standard Socket 19 mm	9
STMT72945-8B	1/2" 6pts Standard Socket 20 mm	9
STMT72946-8B	1/2" 6pts Standard Socket 21 mm	9
STMT72947-8B	1/2" 6pts Standard Socket 22 mm	4
STMT72948-8B	1/2" 6pts Standard Socket 23 mm	4
STMT72949-8B	1/2" 6pts Standard Socket 24 mm	4
STMT72950-8B	1/2" 6pts Standard Socket 25 mm	2
STMT72951-8B	1/2" 6pts Standard Socket 26 mm	2
STMT72953-8B	1/2" 6pts Standard Socket 28 mm	2
STMT72954-8B	1/2" 6pts Standard Socket 29 mm	2
STMT72955-8B	1/2" 6pts Standard Socket 30 mm	2
STMT72956-8B	1/2" 6pts Standard Socket 32 mm	2
STMT72957-8B	1/2" 6pts Standard Socket 34 mm	3
STMT72958-8B	1/2" 6pts Standard Socket 36 mm	2



- Full polish finish, double-nickel with chrome plating for extra rust resistance and prolonged life
- Round head ratchet for tight access area
- Anti-slip and durable knurled metal handle design suit most industrial applications
- Flip drive ratchet head for easy directional rotation

STANLEY SKU	Description	Box Qty
STMT72960-8B	1/2" 12pts Standard Socket 9mm	15
STMT72961-8B	1/2" 12pts Standard Socket 10mm	15
STMT72962-8B	1/2" 12pts Standard Socket 11mm	15
STMT72963-8B	1/2" 12pts Standard Socket 12mm	15
STMT72964-8B	1/2" 12pts Standard Socket 13mm	15
STMT72965-8B	1/2" 12pts Standard Socket 14mm	15
STMT72966-8B	1/2" 12pts Standard Socket 15mm	15
STMT72967-8B	1/2" 12pts Standard Socket 16mm	14
STMT72968-8B	1/2" 12pts Standard Socket 17mm	12
STMT72969-8B	1/2" 12pts Standard Socket 18mm	12
STMT72970-8B	1/2" 12pts Standard Socket 19mm	9
STMT72971-8B	1/2" 12pts Standard Socket 20mm	9
STMT72972-8B	1/2" 12pts Standard Socket 21mm	9
STMT72973-8B	1/2" 12pts Standard Socket 22mm	4
STMT72974-8B	1/2" 12pts Standard Socket 23mm	4
STMT72975-8B	1/2" 12pts Standard Socket 24mm	4
STMT72976-8B	1/2" 12pts Standard Socket 25mm	2
STMT72977-8B	1/2" 12pts Standard Socket 26mm	2
STMT72978-8B	1/2" 12pts Standard Socket 27mm	2
STMT72979-8B	1/2" 12pts Standard Socket 28mm	2
STMT72980-8B	1/2" 12pts Standard Socket 29mm	2
STMT72981-8B	1/2" 12pts Standard Socket 30mm	2
STMT72982-8B	1/2" 12pts Standard Socket 32mm	2
STMT72984-8B	1/2" 12pts Standard Socket 36mm	2



TORX BIT SOCKET





- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174- 1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use

STANLEY SKU	Description	Box Qty
STMT73391-8B	1/2" Torx Bit Socket T27	6
STMT73392-8B	1/2" Torx Bit Socket T30	6
STMT73393-8B	1/2" Torx Bit Socket T40	6
STMT73394-8B	1/2" Torx Bit Socket T45	6
STMT73395-8B	1/2" Torx Bit Socket T50	6
STMT73396-8B	1/2" Torx Bit Socket T55	6
STMT73397-8B	1/2" Torx Bit Socket T60	6







- ISO 1173, ISO 2380-1, ISO 2351-1, ISO 1174- 1, ISO 691
- S2 Steel bit
- HRC 60 +/- 2, 20% higher torque vs Cr-V
- For manual use

STANLEY SKU	Description	Box Qty
STMT73398-8B	1/2" Torx Bit Socket 100mm T30	6
STMT73399-8B	1/2" Torx Bit Socket 100mm T40	6
STMT73400-8B	1/2" Torx Bit Socket 100mm T45	6
STMT73401-8B	1/2" Torx Bit Socket 100mm T50	6
STMT73402-8B	1/2" Torx Bit Socket 100mm T55	6
STMT73403-8B	1/2" Torx Bit Socket 100mm T60	6

COUPLER



- ASME B107.10M, ISO 1174-1, ISO 691
- Chrome vanadium steel
- For manual use

STANLEY SKU	Description	Box Qty
STMT86002-8B	Coupler 1/4" To 3/8"	15



- ASME B107.10M, ISO 1174-1, ISO 691
- Chrome vanadium steel
- For manual use

STANLEY SKU	Description	Box Qty
STMT86215-8B	Coupler 3/8" To 1/2"	8



UNIVERSAL JOINT







- ASME B107.10M, ISO 1174-2
- Chrome vanadium steel
- For manual use

STANLEY SKU	Description	Box Qty
STMT86411-8B	1/2" Universal Joint	10

1/2" EXTENSION



- ASME B107.10M, ISO 3315 DIN 3122 ISO 1174-1
- Full polished finishing
- Chrome vanadium steel

STANLEY SKU	Description	Box Qty
STMT86407-8B	1/2" Extension 125mm	6
STMT86408-8B	1/2" Extension 250mm	12

3/4" SLIDING TEE



- ASME B107.10M, ISO 3315 DIN 3122 ISO 1174-1
- Sliding head
- Chrome vanadium steel
- For manual use

STANLEY SKU	Description	Box Qty
STMT89303-8B	3/4" Sliding Tee	2

SPEED HANDLE





- ASME B107.10M, ISO 3315 DIN 3122 ISO 1174-1
- Fast rotation
- Rotating handle
- Knurled handle

STANLEY SKU	Description	Box Qty
STMT86412-8B	1/2" Speed Handle	4






• ASME B107.10M, ISO 3315 - DIN 3122 - ISO 1174-1

- Smooth-action joint
- Hinged handle for easier access
- Knurled handle

STANLEY SKU	Description	Box Qty
STMT86213-8B	3/8" Swivel Handle 200mm	6

1/2" FLEX HANDLE BAR





- ISO 3315 / DIN 3122 (1/4" 1/2")
- ISO 1174 / DIN 3120 (3/4")
- Made of Chrome-Vanadium Steel

 For applications where high leverage is needed to tighten or release a fastener

STANLEY SKU	Description	Box Qty
86-415-1	1/2" Flex Handle Bar	6/24

PEAR HEAD RATCHET P7



- ASME B107.10M-2005, ISO 3315, DIN 3122, ISO 1174-1
- Socket safety lock
- Lever reverse: rotation direction displayed
- Chrome vanadium steel
- Quick release button

STANLEY SKU	Description	Box Qty
STMT89819-8B	1/2" Pear Head Ratchet P7	6

3/4" RATCHET



• ASME B107.10M-2005, ISO 3315, DIN 3122, ISO 1174-1

- Chrome vanadium steel
- Knurled handle

STANLEY SKU	Description	Box Qty
STMT91316-8B	3/4" Ratchet With Handle	2




ROUND HEAD RATCHET



- Full polish finish, double-nickel with chrome plating for extra rust resistance and prolonged life
- · Round head ratchet for tight access area
- Anti-slip and durable knurled metal handle design suit most industrial applications
- Flip drive ratchet head for easy directional rotation

STANLEY SKU	Description	Box Qty
87-720-1	1/2" Round Head Ratchet	4/48

24 PCS 1/2" DRIVE STANLEY® CLASSIC SOCKET SET (METRIC)



- ASME B107.5M, DIN 3124, ISO 691
- Cr-V steel
- Full polished finishing
- For deep access
- Thin wall socket design

STANLEY SKU	Description	Box Qty
STMT93302-8	6pts T-Handle Socket - 8 mm	10
STMT93304-8	6pts T-Handle Socket - 10 mm	10
STMT93306-8	6pts T-Handle Socket - 12 mm	10
STMT93308-8	6pts T-Handle Socket - 14 mm	10



- METRIC
- 24pcs 1/2" Drive 6pts Contents:
- 1/2" Pear head ratchet NP9
- 1/2" Extension 125, 250mm
- 1/2" Universal joint
- 1/2" 6pts Spark plug socket 16mm
- 1/2" 15" Swivel handle
- 1/2" 6pts Standard socket 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 22, 24, 27, 30, 32 mm

STANLEY SKU	Description	Box Qty
STMT74183-8	24pcs 1/2″ Drive 6pts Socket Set In Metal Tin	2
STMT74184-8	24pcs 1/2" Drive 12pts Socket Set In Metal Tin	2

27 PCS 1/2" DRIVE SOCKET SET (METRIC)



- METRIC
- 20 pcs 1/2" drive 12pts sockets : 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32mm
- 5 pcs 1/2" dr accessories : 2 Extension bar: 5" & 10", 1 Universal joint, 1 Spark plug socket 6pt 13/16", 1 sliding T-Bar: 9.5"
- 1 pc Flip-drive ratchet
- 1 pc Blow-mold case

STANLEY SKU	Description	Box Qty
86-477	27pcs 1/2" Drive Socket Set (Metric)	1/4

HUBUNGI : 🜔 🖓 HOMEMART

26 PCS 1/2" DRIVE SOCKET SET (IMPERIAL)



- IMPERIAL
- 20 pcs 1/2" drive 12pts sockets : 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 31/32, 1, 1-1/16, 1-1/18, 1-3/16, 1-1/4"
- 5 pcs 1/2" dr accessories : 2 Extension bar: 5" & 10", 1 Universal joint,1 Spark plug socket 6 pt 13/16", 1 Sliding T-Bar: 9.5"
- 1 pc Flip-drive ratchet
- 1 pc Blow-mold case

STANLEY SKU	Description	Box Qty
86-478	26pcs 1/2″ Drive Socket Set (Imperial)	4/4

24 PCS 3/8" DRIVE SOCKET SET (METRIC)



- METRIC
- 19 pcs 3/8" drive 6pts sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm
- 4 pcs 3/8" drive accessories: 2 Extensions: 75,
- 150mm, 1 Universal joint, 1 Sliding T-bar
- 1 pcs 3/8" Quick release ratchet pear head
- 1 pcs Blow-mold case

STANLEY SKU	Description	Box Qty
89-035-1	24pcs 3/8" Drive Socket Set (Metric)	1/8

35 PCS 1/4" DRIVE SOCKET SET (METRIC)



• METRIC

- 13 pcs 1/4" drive 6pts sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 5 pcs 1/4" drive accessories: 1 Spinner handle, 2 Extensions: 75, 150mm, 1 Universal joint, 1 Hex bit holder
- 4 pcs Hex bits: 3, 4, 5, 6mm
- 6 pcs Torx bits: T10, T15, T20, T25, T30, T40
- 3 pcs PH bits: 1, 2, 3
- 3 pcs Slotted bits: 4, 5.5, 6.5mm
- 1 pcs Quick release ratchet pear head
- 1 pcs Blow-mold case

STANLEY SKU	Description	Box Qty
89-033-1	35pcs 1/4" Drive Socket Set (Metric)	1/16

43 PCS 1/2" DRIVE SOCKET SET



- METRIC
- 20 pcs 1/2" drive 12pts sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm
- IMPERIAL
- 15 pcs 1/2" drive 12pts sockets: 3/16, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1 1/4"
- 7 pcs 1/2" drive accessories: 2 Spark plug 6pt socket: 5/8" & 13/16", 3 Extension bar: 3", 5"& 10", 1 Universal joint, 1 Flex handle: 375mm
- 1 pcs Full polish quick release ratchet
- 1 pcs Metal box

STANLEY SKU	Description	Box Qty
89-509	43pcs 1/2" Drive Socket Set (Metric & Imperial)	2/2

08112863773

HUBUNGI : DHOMEMART

21 PCS 1/4" DRIVE SOCKET SET



- METRIC
- 8 pcs 1/4" drive 6pts sockets : 5, 6, 7, 8, 10, 11, 12, 13mm
- IMPERIAL
- 8 pcs 1/4" drive 6pts sockets : 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 7/16, 1/2"
- 4 pcs 1/4" dr accessories : 2 Extension bar: 2" & 6", 1 Universal joint, 1 Spinner handle
- 1 pcs Metal box

STANLEY SKU	Description	Box Qty
89-507	21pcs 1/4″ Drive Socket Set (Metric * Imperial)	4

46 PCS 3/8" DRIVE SOCKET SET



- METRIC
- 12 pcs 3/8" drive 12pts sockets : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17,
- 18, 19mm
- IMPERIAL
- 7 pcs 3/8" drive 6pts sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" 18pcs1/4" drBitset:
- 6 pcs Hex bits: 3, 4, 5, 6, 7, 8mm
- 6 pcs Torx bits: T10, T15, T20, T25, T30, T40
- 3 pcs PH bits: 1, 2, 3
- 3 pcs Slotted bits: 4, 5, 6.5mm
- 8 pcs 3/8" drive accessories: 2 Spark plug 6pt socket: 5/8" & 13/16", 2 Extension bar: 3" & 6", 1 Universal joint, 1 Adapter, 1 1/4" dr spinner handle, 1 1/4" dr bit adapter
- 1 pcs "Full Polish" Quick release ratchet
- 1 pcs Metal box

STANLEY SKU	Description	Box Qty
89-516	46pcs 3/8″ Drive Socket Set (Metric & Imperial)	2/2



SPECIALTY TOOLS



HUBUNGI : DHOMEMART

https://id.stanleytools.global/en

6/24

GREASE GUN





- Precision-fitted and hardened plunger prevents lubricant escape from cartridge
- Extra-long handle for increased leverage and easy operation
- Rugged cast pump head for strength and durability and tough impact resistant

STANLEY SKU

78-031

- construction
- Uses standard grease cartridge or can be used for bulk fill
- Heavy-duty
- · Easy to operate
- Non-slip grip handle
- 12000PSI pressure
- High volume operation

Box

6/



- 12000PSU pressure
- Extra-long handle for increased leverage and easy operation
- High volume operation
- Non-slip grip handle
- Precision-fitted and hardened plunger prevents lubricant escape for catridge
- Rugged cast pump head for strength and durability and tough impact resistant construction
- Use standard grease cartridge or can be used for bulk fill

x Qty	STANLEY SKU	Description	
/24	95-385-IV	Bracing Grease Gun (Improved Version)	



Description

Lever Action Grease Gun

ROUND INSPECTION MIRROR



- Allows visability in confined areas
- Double ball joint allows extreme mirror angles along with 360° swivel

STANLEY SKU	Description
STMT78241-8	Round Inspection Mirror

FEELER GAUGE



• 25 Hardened and tempered steel blades

- Each blade marked with metric sizes
- Lock nut hold blades in desired position
- For gauging and adjusting spacing betwen part such as valve clearances, spark plug gaps and distributor points
- · Heat-treated alloy steel

STANLEY SKU	Description	Box Qty
STMT78212-8	25 Blades Feeler Gauge - Metric	6/24

HUBUNGI : 🜔 🖓 HOMEMART

STORAGE

While on the job, users tend to open and shut the drawers of their storage solutions multiple times to access the necessary tools. Consistently putting uneven force on the drawers can lead to their distortion and eventual break down. To ensure their durability, all **STANLEY** storage products are laden down and tested with a variety of weights.



STORAGE

ORGANIZER





- Designed for optimum Industrial/Domestic uses
- Better cap design-shape of plastic ensure the position of the clip.
- Transparent material handle for better visibility for lighting
- Ergonomic design-hexagonal shape provides better grip

STANLEY SKU	Description	Length (mm)	Width (mm)	Height (mm)	Latch
STST73822-8	Small organizer	320	265	50	Plastic



- Provides easy storage and transportation of small materials and hand tools thanks to 21 separators
- Interior compartments that you can arrange as you wish so that you can use all your materials in a more organized and organized manner
- Long-term use with extra durable polycarbonate cover
- Wide usage area with dust and water resistance.

STANLEY SKU	Description	Length (mm)	Width (mm)	Height (mm)	Latch
STST73823-8	Medium Organizer	380	300	60	Plastic











-
- Multiple internal and external pockets
- Durable body material

TOOL BAG

STANLEY SKU	Description		Materi	al Length (mm)
STST512114	12" Soft Side Tool Bag		600 deni polyeste	350
Width (mm)	Height (mm) Weight (kg		ght (kg)	# of pockets inside
140	240		350	240

- Made of durable, tough wear and water-resistant plastic wrapped in and virtually maintenance-free 600 denier polyester fabric
- Integrated foam rubber and plastic structure reinforcements create a non-collapsing design
- Open mouth design with zipper allows for easy access/secure transport of bag contents
- · Heavy-duty metal framework supports open mouth design
- Telescoping handle extends to a height of 39" for easy tool transport
- Two (2) 1.5" wide casters bracket mounted with heavy-duty metal rivets

STANLEY SKU	Description	Item Size	Main Storage	Box/ CTN
93-328	Open Mouth 93-328 Wheeled Tool Bag – 20″	19" x 9" x 12" 50mm x 23mm x 30mm	2,052 inch3	1/2

ESSENTIAL PERSONAL POUCH

- The 1-96-179 Stanley pocket pouch is constructed of heavy duty, 600 denier fabric, hardwearing, strong & durable resisting cuts & scratches for long lasting durability.
- Fixing easily & securely to your belt providing extra storage capacity allowing easy access, the large zipped pocket provides safe & secure storage of important items. Fully adjustable to different belt sizes.

STANLEY SKU	Description	ltem dimensions (cm) Width x Height x Depth
1-96-179	Stanley Personal pouch	24 x 15.5 x 6



HUBUNGI : 🜔 🖓 HOMEMART



TOOLBAG STORAGE LINE



OPEN BULKY STRUCTURE DESIGN Easy access to tools

MULTIPLE INTERNAL AND EXTERNAL POCKETS Maximum organization potential

600 X 600 DENIER FABRIC Hardwearing, strong and durable **FREE STANDING OPEN MOUTH** Non collapsible enables easy access to tools at all times

COVERED FRONT POCKET Secure storage of small parts or personal items

STRONG REINFORCED PLASTIC BASE Protection from wet and damp surfaces

HUBUNGI : DHOMEMART



TOOL BAG



- The STANLEY® FATMAX® Heavy-Duty Tool Bag Backpack has bags of room for all your tools and is made from heavy-duty 600 denier fabric for long lasting durability and designed to withstand typical job-site working environments and all weather conditions. Its two ergonomic, air mesh padded shoulder straps comfortably spread the weight distribution of heavy loads across your back and both shoulders, whilst keeping your hands free as you move about the job-site and whilst you travel to and from work.
- 50 Pockets / tool holders for a wide variety of tools, including longer tools on the side such a level
- Back support system and air mesh shoulder straps for ergonomic, convenient carriage. Spreads weight of tools instead of lifting in
 one hand
- · Dual zipper closure enables opening from every end
- Durable 600 x 600 denier fabric
- Removable dividers system with tool holders is easily detachable, with handle for easy carriage. Spreads to form a work surface
- · Rigid form can stand in open position enabling access to all tools
- · Separate, strong compartment for power tool or laptop
- Waterproof plastic bottom protects against moisture and dirt
- · Weight when empty 2,21kg / 28I
- No tools included

STANLEY SKU	Description	Item dimensions (cm) Width x Height x Depth
1-95-611	STANLEY® FATMAX® Tool Back Pack	36 x 46 x 27

ESSENTIAL BACKPACK ON WHEELS

- The backpack is made of strong and durable fabric with a density of 600 fibers
- Raised base with plastic feet protection on wet floors
- Telescopic handle for comfortable relocation to the workplace
- · Removable organizer for storing small tools
- Padded shoulder straps for greater comfort when transporting heavier tools

STANLEY SKU	Description	ltem dimensions (cm) Width x Height x Depth
STST83307-1	Stanley Essential Backpack On Wheels	57 x 34 x 20



HUBUNGI : 🜔 🖓 HOMEMART



https://id.stanleytools.global/en

ESSENTIAL TOOL BAG

KG	600 Denier	12" 30cm		
Capacity Load	Material Denier	Size	Shoulder Strap	
STANLEY	SKU D	escription	Item dimensions Width x Height x D	
1-93-330	STANLEY 1-93-330 ESSENTIAL 12" TOOL BAG		30 x 25 x 13	







ESSENTIAL BACKPACK ON WHEELS

- 15kg load capacity
- 600 x 600 denier fabric to ensure durability
- Detachable divider with pockets for frequently used tools
- Padded back for ergonomic, convenient carriage
- Separate Lap top /power tool compartment keeps power tools and laptop safe
- · Small front compartment for personal storage

STANLEY SKU	Description	ltem dimensions (cm) Width x Height x Depth
STST1-72335	Stanley Essential Backpack	35 x 16 x 44



HUBUNGI : 🜔 🖓 HOMEMART



BASIC PLASTIC TOOL BOX - FLAT TOP







• Multiple internal and external pockets

Durable body material

STANLEY SKU	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST73697-8	15″ Toolbox - Flat Top	380	190	142	0.9	Plastic
STST73691-8	17.5″ Toolbox - Flat Top	445	241	218	1.8	Plastic

BASIC PLASTIC TOOL BOX - SLIDE IN ORGANIZER





- Multiple internal and external pockets
- Durable body material



BARU

STANLEY SKU	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST73696-8	16" Toolbox - Slide-in Organizer	405	241	152	1.0	Plastic

19 ORGANIZERED MAESTRO



- Built-in padlock eye for small locks helps keep contents secure
- Material: Heavy Duty Plastic
- 19 in. organizer on lid with clear cover

STANLEY SKU	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
1-71-950	19" organizered maestro	480	230	230	1.6	Plastic





PLASTIC TOOL BOX



- Built in padlock eye for small locks for secure storage of tools
- Nickel plated metal latches for durability
- · Note tray

STANLEY SKU	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST24113	24" Toolbox with Metal Latches	601.98	292.10	284.48	3.15	Metal

CLICK & CONNECT ORGANIZER





- · Stack multiple units for exible storage structures
- Hinge+Latch feature allows the toolbox to be opened from both sides
- Removable dividers for customizable storage solutions

STANLEY SKU	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Latch
STST14440	Click & Connect Organizer	505	290	90	1.3	Plastic

5 TRAY METAL TOOL BOX





- 5 compartments
- 2 articulated handles for 100% access to compartments
- Anti finger trap system
- Big storage volume

STANLEY SKU	Overall Dimension (Length x Width x Height cm)	Length (kg)
1-94-738	20,8 x 20,8 x 45	450





STRIKING TOOLS

STANLEY has offered the world a great selection of striking tools for over 150 years, securing its place as one of the world's premier makers of high quality hammers. Extensive tests for quality control are conducted on each product range, giving users the best in safety and efficiency. Major technological advances have been made, including striking accuracy, reduced arm torsion and decreased arm damaging vibrations.



STORAGE

FATMAX[™] CONCRETE CHISEL WITH BI-MAT HANDGUARD



- Durable bull point that cuts fast and lasts long
- Ideal for cutting through and breaking up concrete

STANLEY SKU	Description	Box Qty
16-329	3/4" x 12" FatMax Concrete Chisel w/ Hand Guard	3/18

 For cutting/ shaping wrought iron, cast iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets

STANLEY SKU	Description	Box Qty
16-332	1" x 12" FatMax Cold Chisel w/ Hand Guard	3/18

 Used for cutting, prying or ripping of hardwood flooring and nails Designed with offset blade and shorter bite for increased leverage

STANLEY SKU	Description	Box Qty
16-331	3" x 11" FatMax Floor Chisel w/ Hand Guard	3/18

BASIC WOOD CHISEL SET



- Package Contents: 3-Piece Wood Chisel Set (1/2 x 7 3/4, 3/4 x 7 3/4, 1 x 7 3/4)
- Durable precision ground cutting edges
- Blades are also heat tempered and lacquer coated to prevent rust

STANLEY SKU	Description	Box/CTN
16-089	3 Pcs Wood Chisels Set	5





- One-piece construction forged from chrome vanadium steel for increased strength and durability
- Hardened, quenched and tempered for long life and added safety
- · Powder coat finish for increased visibility
- For cutting/ shaping wrought iron, cast iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets

STANLEY SKU	Description	Box/CTN
STHT16287-8	1/2" x 6" Cold Chisel	3/24

HUBUNGI : 🜔 🖓 HOMEMART





- Used for marking metal or making indentations for starting drill holes
- One piece construction forged from tempered tool steel for strength
- · Hardened and tempered for long life

STANLEY SKU	Description	Box/CTN
16-227	1/4" x 4" Center Punch	3/24

DYNAGRIP® WOOD CHISEI



- · Blade guard for storage safety
- Fully precision ground blade on all faces
- · Ergonomic hi-impact resistant bi-material handle
- Rust-resistant, lacquered coated blade

STANLEY SKU	Description	Box/CTN
16-273	1/4" / 6mm Dynagrip Wood Chisel	6/36
16-275	3/8" / 10mm Dynagrip Wood Chisel	6/36
16-276	1/2" / 12mm Dynagrip Wood Chisel	6/36
16-278	5/8" / 16mm Dynagrip Wood Chisel	6/36
16-279	3/4" / 18mm Dynagrip Wood Chisel	6/36
16-282	1" / 25mm Dynagrip Wood Chisel	6/36
16-283	1.1/14" / 32mm Dynagrip Wood Chisel	6/36
16-284	1.1/2" / 38mm Dynagrip Wood Chisel	6/36



- Used for marking metal
- One-piece construction forged from tempered tool steel for strength Hardened and tempered for long life
- · Powder coat finish for increased visibility

PRICK PUNCH



- Used for marking metal
- One-piece construction forged from tempered tool steel for strength Hardened and tempered for long life
- · Powder coat finish for increased visibility

STANLEY SKU	Description	Box/CTN
16-232	5/32" x 6" Pin Punch	6

STANLEY SKU	Description	Box/CTN
16-236	3/8" x 5-1/2" Prick Punch	3/24



RIPPING BAR



- Ideal for basic demolition work
- Slotted claw and beveled ends for functionality and performance 3/4" diameter high-carbon steel

STANLEY SKU	Description	Box Qty
55-118	18" Forged Hexagonal Steel Ripping Bar	3/24

FATMAX™ WRECKING BAR



- Forged, high-carbon steel able to withstand 975 ft-lbs, of bending momentum
- Tri-lobe design increases strength, durability and ease of use
- High-visibility, powder-coated finish
- Slotted claw and beveled ends improve functionality and performance

STANLEY SKU	Description	Box Qty
55-104	36″ Wrecking Bar	4/4

WOOD HANDLE CLAW HAMMER



- Forged high-carbon steel head provides durability
- Fully heat-treated and polished bell face
- Lightweight wooden handle

STANLEY SKU	Description	Box Qty
STHT51373-8	13oz Wood Handle Nail Hammer	6
STHT51339-8	16oz Wood Handle Claw Hammer	6

WOOD HANDLE BALL PEIN HAMMER



- · Ball end used for riveting, and poll used for normal striking
- The hammer head is attached with two wedges for improved durability

STANLEY SKU	Description	Box Qty
STHT54189-8	8oz Wood Handle Ball Pein Hammer	6
STHT54190-8	12oz Wood Handle Ball Pein Hammer	6
STHT54191-8	16oz Wood Handle Ball Pein Hammer	6
54-192-23	24oz Wood handle Ball Pein Hammer	6
54-193-23	32oz Wood handle Ball Pein Hammer	6

HUBUNGI : 🜔 GHOMEMART



FIBERGLASS HANDLE CLAW HAMMER



STANLEY SKU Description Box Qty 7oz Yellow Fiberglass Handle Claw STHT51390 6 Hammer a Handla Cl 16 or Vollo

· Fiberglass core adds strength and durability to the handle

- · Yellow-colored shaft for easy product visibility
- · Exclusive rim temper reduces incidences of chipping or spalling

STHT51391	Hammer	6	
STHT51392	20oz Yellow Fiberglass Handle Claw Hammer	6	

QUALITY THAT EXCEEDS STANDARDS



Robust handle to head joint; Prevents head from snapping off the handle



Sturdy handle for missed strikes



Durable handles that don't crack easily



Hardened claw for repeated nail pulls (Prevents claw deformation while pulling nails)

08112863773

JACKETED STEEL HANDLE HAMMER



- Shaft 15% longer for better balance & control in usage
- Grip 15% longer for better performance
- · Individually heat-treated for long life
- Hardened and tempered tubular steel shaft for strength
- Meets ANSI standards

STANLEY SKU	Description	Box/CTN
51-081-23	16oz Steel Handle Claw Hammer	6/36
51-082-23	20oz Steel Handle Claw Hammer	6/36

HUBUNGI : 🜔 🕞 HOMEMART

CONTRACTOR GRADE HICKORY HANDLE HAMMER



- · Forged steel head-hardened and tempered
- Faces machine finished
- Selected clear lacquered hickory handle

STANLEY SKU	Description	Box/CTN
56-803	3lbs Hickory Handle Engineer Hammer	4/4
56-804	4lbs Hickory Handle Engineer Hammer	4/4



- Forged steel head-hardened and tempered
- Faces machine finished
- Selected clear lacquered hickory handle

STANLEY SKU	Description	Box/CTN
56-808	8lbs Hickory Handle Sledge Hammer	4/4
56-812	12lbs Hickory Handle Sledge Hammer	4/4
56-816	16lbs Hickory Handle Sledge Hammer	4/4

JACKETED FIBERGLASS ENGINEER



- · Forged steel head-hardened and tempered
- Faces machine finished
- Selected clear lacquered hickory handle

STANLEY SKU	Description	Box/CTN
56-202	2.5lbs Jacketed Fiberglass Engineer Hammer	4/4
56-204	4lbs Jacketed Fiberglass Engineer Hammer	4/4

RUBBER MALLET



- Rubber head helps minimize marring and surface damage
- Tough rubber head molded to a wood handle

STANLEY SKU	Description	Box/CTN
STHT57527-8	16oz Rubber Mallet Hammer	6
STHT57528-8	24oz Rubber Mallet Hammer	6

COMPO-CAST® STANDARD HEAD SOFT FACE HAMMER

	STANLEY SKU	Description	Box Qty
	57-531	18oz Compo-Cast Standard Head Soft Face Hammer	6
	57-532	21oz Compo-Cast Standard Head Soft-Face Hammer	6
imers	57-533	42oz Compo-Cast Standard Head Soft-Face Hammer	6
) le added strength and safety,	57-534	52oz Compo-Cast Standard Head Soft-Face Hammer	6

HUBUNGI : 🜔 🖓 HOMEMART



WRENCHES

9


Monitoring tool performance in real working situations, our designers have created uniquely profiled jaws and rings make the range comfortable to use, minimising downtime and keeping jobs on schedule.

23

HUBUNGI : 🜔 🖓 HOMEMART

STORAGE

HD ADJUSTABLE WRENCH



STANLEY SKU	Description	Box Qty
87-620-S	6" Pipe Wrench (Red)	6
87-621-S	8" 168mm Pipe Wrench (Red)	6
87-622-S	10" 248mm Pipe Wrench (Red)	6
87-623-S	12" 297mm Pipe Wrench (Red)	6
87-624-S	14" 332mm Pipe Wrench (Red)	6
87-625-S	18" 480mm Pipe Wrench (Red)	2
87-626-S	24" 600mm Pipe Wrench (Red)	2
87-627-S	36″ 900mm Pipe Wrench (Red)	2

- Jaw forged in Cr-Mo steel
- · Cast iron body







- ASME B107.100, ASME B107.8
- · Adjustable jaw design allows tool to grip many fastener sizes
- · Knurl adjusting mechanism for quick and precise adjustments
- · Built-in tension spring stabilizes movable jaw
- Forged chrome vanadium steel is strong and durable
- Polished chrome head and chrome-plated body for anticorrosion protection
- · Laser-etched SAE and mm jaw scale for easy size adjustment
- Lightweight handle design

STANLEY SKU	Description	Box Qty
87-430-1-S	4" Adjustable Wrench	6
STMT87431-8	6" Adjustable Wrench	6
STMT87432-8	8" Adjustable Wrench	6
STMT87433-8	10" Adjustable Wrench	6
STMT87434-8	12" Adjustable Wrench	6

MAXSTEEL® AD-JUSTABLE WRENCH



- · Bi-material cushion grip for comfort
- · Use for plumbing, automotive or home use
- Precision machined face with etched measurement scale in English and Metric
- Strong Chrome Vanadium steel exceed ANSI specification
- Slip-resistant bi-material cushion grip
- Rust-resistant phosphate coating
- · Handy hang/storage hole in handle

STANLEY SKU	Length		Box Qty
STANLET SKO	mm	Inches	DOX QUY
90-947-22	153	6″	6
90-948-22	203	8″	6
90-949-22	250	10″	6
90-950-22	305	12″	6

HUBUNGI : 🜔 GHOMEMART



QUICK ADJUSTABLE WRENCH



- Innovative quick adjust mechanism ensures fast and intuitive adjustment by pressing down the wheel, with fine adjustments controlled by rolling the wheel with finger and thumb
- · Black phosphate finish adds strength and durability
- 15° offset: parallel jaws placed at a 15° angle provide a firm grip, exceptional reach and precise operation
- Slim and wide jaws ensure accessibility when working in tight spaces
- Bi-material, soft-grip handle guarantees comfort in use and ultimate control

STANLEY SKU	Description	Box Qty
FMHT13127-0	FATMAX® Quick Adjustable Wrench 250mm/10"	2/12



- Innovative quick adjust mechanism ensures fast and intuitive adjustment by pressing down the wheel, with fine adjustments controlled by rolling the wheel with finger and thumb
- Black phosphate finish adds strength and durability
- 15° offset: parallel jaws placed at a 15° angle provide a firm grip, exceptional reach and precise operation
- Slim and wide jaws ensure accessibility when working in tight spaces
- Bi-material, soft-grip handle guarantees comfort in use and ultimate control

STANLEY SKU	Description	Box Qty
FMHT13128-0	FATMAX® Quick Adjustable Wrench 300mm/12″	2/12



HD ADJUSTABLE WRENCH



STANLEY SKU	Description	Box Qty
87-796-S	18" HD Adjustable Wrench	3/24
97-797-S	24" HD Adjustable Wrench	3/24

- Used for starting drill holes
- One-piece construction forged from tempered tool steel for strength Hardened and tempered for long life
- · Powder coat finish for increased visibility
- Chrome Vanadium Steel.
- Plastisol handles for better comfort.
- Inch and metric scale on head.
- ANSI B107.8M

HUBUNGI : DHOMEMART



UBLE OPEN END DO





- ASME B107.17M, ASME B107.100, ASME B107.9
- Maxi-Drive[™] system reduce fastener rounding
- Matt finishing
- Made of Chrome Vanadium Steel
- 45° Offset

STANLEY SKU	Description	Box Qty
STMT72838-8B	7 x 9mm Double Open End Wrench	10
STMT72839-8B	8 x 10mm Double Open End Wrench	10
STMT72840-8B	10 x 12mm Double Open End Wrench	10
STMT72842-8B	11 x 13mm Double Open End Wrench	10
STMT72843-8B	12 x 14mm Double Open End Wrench	10
STMT72846-8B	14 x 17mm Double Open End Wrench	10
STMT72849-8B	17 x 19mm Double Open End Wrench	10
STMT72848-8B	18 x 19mm Double Open End Wrench	10
STMT72851-8B	20 x 22mm Double Open End Wrench	10
STMT72852-8B	21 x 23mm Double Open End Wrench	10
STMT72853-8B	22 x 24mm Double Open End Wrench	10
STMT72856-8B	27 x 32mm Double Open End Wrench	5

FLARE NUT WRENCH



- Double end flare nut 6 points
- Made of Chrome Vanadium Steel

STANLEY SKU	Description	Box Qty
87-392-1	8 x 10mm Flare Nut Wrench	6/72
87-393-1	12 x 14mm Flare Nut Wrench	6/48

COMBINATION G В



- All wrenches suit the existing ANSI, ISO & DIN standards
- MAXI-DRIVE[™] feature on ring-end distributes the driving force off the corner of fastener to prevent damage
- · Matt finishing makes it easier to clean the solvent on the tool than mirror finishing
- Made of Carbon Steel
- · Big size marking makes it easy to reach the desired wrench size during working

STANLEY SKU	Description	Box Qty
STMT80215-8B	Combination Wrench 6 mm	15
STMT80216-8B	Combination Wrench 7 mm	10
STMT80217-8B	Combination Wrench 8 mm	10
STMT80218-8B	Combination Wrench 9 mm	10
STMT80219-8B	Combination Wrench 10 mm	10
STMT80220-8B	Combination Wrench 11 mm	10
STMT80222-8B	Combination Wrench 12 mm	10
STMT80223-8B	Combination Wrench 13 mm	10
STMT80224-8B	Combination Wrench 14 mm	10
STMT80225-8B	Combination Wrench 15 mm	10
STMT80226-8B	Combination Wrench 16 mm	10
STMT80229-8B	Combination Wrench 17 mm	6
STMT80231-8B	Combination Wrench 18 mm	6
STMT80233-8B	Combination Wrench 19 mm	6
STMT80234-8B	Combination Wrench 20 mm	6
STMT80235-8B	Combination Wrench 21 mm	6
STMT80236-8B	Combination Wrench 22 mm	6
STMT80238-8B	Combination Wrench 23 mm	6
STMT80239-8B	Combination Wrench 24 mm	6
STMT80240-8B	Combination Wrench 25 mm	6
STMT80241-8B	Combination Wrench 26 mm	6
STMT80242-8B	Combination Wrench 27 mm	4
STMT80243-8B	Combination Wrench 28 mm	4
STMT80244-8B	Combination Wrench 30 mm	4
STMT80245-8B	Combination Wrench 32 mm	4

HUBUNGI : 🜔 GHOMEMART





- ASME B107.17M, ASME B107.100, ASME B107.6
- Maxi-Drive[™] system helps reduce fastener rounding
- Anti-slip design on open-end
- Matt finishing
- Made of Chrome Vanadium Steel
- 12-point ring angled at 15°

STANLEY SKU	Description	Box Qty
STMT72805-8B	Combination Wrench 8 mm	10
STMT72806-8B	Combination Wrench 9 mm	10
STMT72807-8B	Combination Wrench 10 mm	10
STMT72808-8B	Combination Wrench 11 mm	10
STMT72809-8B	Combination Wrench 12 mm	10
STMT72810-8B	Combination Wrench 13 mm	10
STMT72811-8B	Combination Wrench 14 mm	10
STMT72812-8B	Combination Wrench 15 mm	10
STMT72814-8B	Combination Wrench 17 mm	10
STMT72815-8B	Combination Wrench 18 mm	10
STMT72816-8B	Combination Wrench 19 mm	10
STMT72817-8B	Combination Wrench 20 mm	10
STMT72818-8B	Combination Wrench 21 mm	10
STMT72819-8B	Combination Wrench 22 mm	5
STMT72820-8B	Combination Wrench 23 mm	5
STMT72822-8B	Combination Wrench 25 mm	5
STMT72824-8B	Combination Wrench 27 mm	5
STMT72825-8B	Combination Wrench 28 mm	5
STMT72826-8B	Combination Wrench 29 mm	5
STMT72827-8B	Combination Wrench 30 mm	5
STMT72828-8B	Combination Wrench 32 mm	5

OFFSET DOUBLE RING END WRENCH







- ASME B107.17M, ASME B107.100, ASME B107.9
- Maxi-Drive[™] system reduce fastener rounding
- Matt finishing
- Made of Chrome Vanadium Steel
- 45° Offset

STANLEY SKU	Description	Box Qty
STMT72857-8B	45° Offset Box End Wrench Long - 6x7mm	10
STMT72858-8B	45° Offset Box End Wrench Long - 8x9mm	10
STMT72859-8B	45° Offset Box End Wrench Long - 8x10mm	10
STMT72860-8B	45° Offset Box End Wrench Long - 10x12mm	10
STMT72862-8B	45° Offset Box End Wrench Long - 12x14mm	10
STMT72863-8B	45° Offset Box End Wrench Long - 14x15mm	10
STMT72864-8B	45° Offset Box End Wrench Long - 14x17mm	10
STMT72865-8B	45° Offset Box End Wrench Long - 16x17mm	10
STMT72866-8B	45° Offset Box End Wrench Long - 17x19mm	5
STMT72868-8B	45° Offset Box End Wrench Long - 19x21mm	5
STMT72869-8B	45° Offset Box End Wrench Long - 22x24mm	5
STMT72870-8B	45° Offset Box End Wrench Long - 24x27mm	5



SFT DOURIF



- Made of Chrome Vanadium Steel
- · Both the open ended head and the ring are angled at 15o for optimum accessibility
- · Nickel chrome plating protects against corrosion
- · Slim pattern
- MaxiDriveTM and anti-slip open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Anti-slip feature

•		
STANLEY SKU	Description	Box Qty
87-066	6 mm Slimline Combination Wrench	6/72
87-057	7 mm Slimline Combination Wrench	6/90
87-058	8 mm Slimline Combination Wrench	6/90
87-069	9 mm Slimline Combination Wrench	6/72
87-070	10 mm Slimline Combination Wrench	6/72
87-071	11 mm Slimline Combination Wrench	6/72
87-072	12 mm Slimline Combination Wrench	6/72
87-073	13 mm Slimline Combination Wrench	6/54
87-074	14 mm Slimline Combination Wrench	6/54
87-075	15 mm Slimline Combination Wrench	6/54
87-076	16 mm Slimline Combination Wrench	6/54
87-077	17 mm Slimline Combination Wrench	6/54
87-078	18 mm Slimline Combination Wrench	6/54
87-079	19 mm Slimline Combination Wrench	6/60
87-080	20 mm Slimline Combination Wrench	6/60
87-081	21 mm Slimline Combination Wrench	6/60
87-082	22 mm Slimline Combination Wrench	6/60
87-083	23 mm Slimline Combination Wrench	6/60
87-084	24 mm Slimline Combination Wrench	6/60
87-087	27 mm Slimline Combination Wrench	6/60
87-090	30 mm Slimline Combination Wrench	2/12
87-092	32 mm Slimline Combination Wrench	2/12
87-263-22	33 mm Slimline Combination Wrench	1/30
87-264-22	34 mm Slimline Combination Wrench	1/25
87-266-22	36 mm Slimline Combination Wrench	1/25

ROHF



- ISO 6789, ASME B107.14
- Accuracy: +/- 4%
- Visual and audible indication
- Dual Way direction(C.W./C.C.W.) click Type
- Dual scales (N-m & ft-lb)
- Quick release button
- · Adjusting ring locking system
- · Aluminum Alloy handle with anodic treatment
- · Si-Cr-Mo spring
- Cr-Mo pawl
- Cr-Mo square driver
- 48 Gear teeth

STANLEY SI	ເບ	Descriptio	n	Driv	ve Size
STMT73592-	8 3/4" Tore	que Wrench 1	50- 750 Nm		3/4″
Torque Ran	Torque Ran	Increment	B (mm)	L (mm)	Weight (kg)

TOROUF







- ISO 6789, ASME B107.14
- Accuracy: +/- 4%
- · Visual and audible indication
- Dual Way direction(C.W./C.C.W.) click Type
- Dual scales (N-m & ft-lb)
- Quick release button
- Adjusting ring locking system · Aluminum Alloy handle with anodic treatment
- Si-Cr-Mo spring
- Cr-Mo pawl
- Cr-Mo square driver
- 48 Gear teeth

STANLEY SH	ເບ	Descriptio	n	Driv	ve Size
STMT73588-	8 3/	3/8″ Torque Wrench 10-50 Nm		:	3/8″
Torque Ran	Torque Ran	Increment	B (mm)	L (mm)	Weight (kg)
10-50 N-m	9.2-38.7 ft-lb	0.5 N-m	31	409	1.182

HUBUNGI : 🜔 GHOMEMART

1/2" TORQUE WRENCH



- ISO 6789, ASME B107.14
- Accuracy: +/- 4%

ANS

- · Visual and audible indication
- Dual Way direction(C.W./C.C.W.) click Type
- Dual scales (N-m & ft-lb)
- Quick release button

Adjusting ring locking

- system
- · Aluminum Alloy handle with anodic treatment
- · Si-Cr-Mo spring
- Cr-Mo pawl
- Cr-Mo square driver
- 48 Gear teeth

STANLEY SH	STANLEY SKU Description				ve Size
STMT73590-	8 1/2" To	1/2″ Torque Wrench 40-200 Nm			1/2″
Torque Ran	Torque Ran	Increment	B (mm)	L (mm)	Weight (kg)
40-200 N-m	33.2-151.2 ft-lb	1 N-m	41	519	1.6



- ISO 6789, ASME B107.14
- Accuracy: +/- 4%
- · Visual and audible indi-
- cation • Dual Way direction(C.W./C.C.W.) click
- Type Dual scales (N-m & ft-lb)
- Quick release button

- · Adjusting ring locking
 - system · Aluminum Alloy handle
 - with anodic treatment · Si-Cr-Mo spring
 - Cr-Mo pawl
 - Cr-Mo square driver
 - 48 Gear teeth

STANLEY SH	ເບ	Description			ve Size
STMT73591	-8 1/2″ To	1/2" Torque Wrench 60-340 Nm			1/2″
Torque Ran	Torque Ran	Increment	B (mm)	L (mm)	Weight (kg)
60-340 N-m	51.6-258.1 ft-lb	2 N-m	41	610	1.785

CO MBINATION ICH BASIC -







- All wrenches suit the existing ANSI, ISO & DIN standards
- MAXI-DRIVE[™] feature on ring-end distributes the driving force off the corner of fastener to prevent damage
- Matte finishing makes it easier to clean the solvent on the tool than mirror finishing
- Made of Carbon Steel
- · Big size marking makes it easy to reach the desired wrench size during working

STANLEY SKU	Description	Box Qty
STMT78099-8	8 pcs Combination Wrench Basic Set (8, 10, 11, 12, 13, 14, 17, 19mm)	1/12

COMBINATION **ENCH BASIC -**



- All wrenches suit the existing ANSI, ISO & DIN standards
- MAXI-DRIVE[™] feature on ring-end distributes the driving force off the corner of fastener to prevent damage
- Matte finishing
- Made of Carbon Steel
- · Big size marking makes it easy to reach the desired wrench size during working

STANLEY SKU	Description	Box Qty
STMT80942-8	11 pcs Combination Wrench Basic Set (8,9,10,11,12,13,14,17, 19,22,24mm)	1
STMT80944-8	14 pcs Combination Wrench Basic Set (8,9,10,12,13,14,17,19,2 1,22,24,27,30,32mm)	1

HUBUNGI : 🜔 🖓 HOMEMART

· Comprehensive set of open

end wrench for the most

common sizes • Anti-slip feature

8 PCS CWE SLIMLINE COMBINATION WRENCH SET



STANLE



- Made of Chrome Vanadium Steel
- Both the open ended head and the ring are angled at 15° for optimum accessibility
- MaxiDrive[™] and anti-slip open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Anti-slip feature

STANLEY SKU	Description	Box Qty
87-011-1	"Slimline" wrench: 8, 10, 11, 13, 14, 17, 19, 22mm Heavy-duty nylon pouch Inner box	5/30

9 PCS CWE SLIMLINE COMBINATION WRENCH SET



STANLE

ANS



- Made of Chrome Vanadium Steel
- Both the open ended head and the ring are angled at 15° for optimum accessibility
- · Slim pattern
- MaxiDrive[™] and anti-slip open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Anti-slip feature

STANLEY SKU	Description	Box Qty
87-034-1	"Slimline" wrench: 8, 9, 10, 11, 12, 13, 14, 15, 17mm Heavy-duty nylon pouch Inner box	20/20

8 PCS SLIMLINE DOUBLE OPEN END WRENCH SET





- Made of Chrome Vanadium Steel
- Ends are slanted 15° for quick operation
- Two sizes per wrench

STANLEY SKU	Description	Box Qty
87-718-1	"Slimline" wrench: (Metric) 6 x7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17,18 x 19, 20 x 22mm Heavy-duty nylon pouch Inner box	20/20

14 PCS CWE SLIM-LINE COMBINATION WRENCH SET



- Made of Chrome Vanadium Steel
- Both the open ended head and the ring are angled at 15° for optimum accessibility
- Nickel chrome plating protects against corrosion
- Slim pattern
- MaxiDrive[™] and anti-slip open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Anti-slip feature

STANLEY SKU	Description	Box Qty
87-036-1	"Slimline" wrench: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24mm Heavy-duty nylon pouch Inner box	1
87-038-1	"Slimline" wrench: 10, 11, 12, 13, 14, 17, 19, 21, 22, 23,24, 26, 30, 32mm Heavy-duty nylon pouch Inner box	1
87-709-1	"Slimline" wrench: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 11/16", 1 1/8", 1 1/4" Heavy-duty nylon pouch Inner box	1

HUBUNGI : DHOMEMART



75° OFFSET DOUBLE RING END WRENCH



- Double ring wrench
- Made of Chrome Vanadium Steel
- MaxiDrive[™] Plus profile Attacks on the sides, not the corners of the nut or bolt
- Twelve-edged head for optimal support of hexagonal and square nuts
- · Polished and chrome-plated finish for excellent protection
- Heads to 70 ° for greater access in tight spaces
- Powerful and safe working

STANLEY SKU	Description	Box Qty
87-617-3	"Slimline" wrench: (Metric) 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27mm Inner box	10

COMBINATION WRENCH SET - POUCH CWF



STANLE)



- Combination wrench 8 mm
- Combination wrench 10 mm
- · Combination wrench 11 mm
- · Combination wrench 12 mm
- Combination wrench 13 mm
- Combination wrench 14 mm
- Combination wrench 17 mm
- Combination wrench 19 mm

	Description	Box Qty
STMT73649-8	8 pcs CWF Combination Wrench Set	1





- Combination wrench 8 mm
- Combination wrench 9 mm
- · Combination wrench 10 mm
- Combination wrench 11 mm
- Combination wrench 12 mm
- Combination wrench 13 mm
- Combination wrench 14 mm

- Combination wrench 15 mm
- Combination wrench 16 mm
- · Combination wrench 17 mm
- · Combination wrench 18 mm
- Combination wrench 19 mm
- Combination wrench 22 mm
- Combination wrench 24 mm

STANLEY SKU	0)escription	Box Qty
STMT73647-8		CWF Combination Wrench Set	1
Combination wrench Combination wrench	7 mm 8 mm 9 mm 10 mm 11 mm 12 mm 13 mm 14 mm	 Combination wi 	rench 19mm rench 20mm rench 21mm rench 22mm rench 23mm rench 24mm rench 25mm rench 27mm

 Combination wrench 32 mm • Combination wrench 17 mm

STANLEY SKU	Description	Box Qty
STMT33650-8	23 pcs CWF Combination Wrench Set	1

HUBUNGI : 🜔 GHOMEMART



TransModule System features a completely integrated tool management concept



HUBUNGI : 🜔 GHOMEMART

08112863773 CHAT ONLY

Transmodule

ROLLER CABINET



- · Multiple drawer sizes for flexible storage options
- · Perforated side panels for more storage options
- · Ball bearing slides for smooth and heavy loading drawer operation
- Lockable castors
- PVC bumpers on corners
- Lockable drawers

STANLEY SKU	Description		Drawer Qty
STST74305-8	4 Drawers Roller Cabinet		4
			ective Drawer nension (mm)
690 x 426 x 889			3: 540 x 408 x 72 1 1: 540 x 408 x 105
Total Load Capacity (kg)	-)rawer Load apacity (kg)	Weight (kg)
300		20	35

- · Ball bearing slides for smooth and heavy loading drawer operation
- · ABS top tray
- Side folding shelf
- Lockable wheel with rubber castors
- Side can and screwdriver holders

STANLEY SKU	TANLEY SKU Description		Drawer Qty
STMT99069-8	4 Drawers Roller Cabinet with ABS Top Tray		4
Overall Dimension Effective Drawer (Length x Width x Height mm) Dimension (mm)			ano Brano.
698 x 477 x 973		536	5 x 410 x 75.5
Total Load Capacity (kg)	Drawer Capacit		Weight (kg)
300	25		35

TRANSMODULE TOOL SET CLEAR CASE



- · Single sliding latch drives efficient work flow
- Extra tough transparent cover design provides clear visibility & protection
- Removable divider for additional organization
- Big handle made it easy-to-carry

STANLEY SKU	Description	Box Qty
STST74301-8	16" Tool Set Case	1

HUBUNGI : 🜔 GHOMEMART

- - Rubber bumpers on corners
 - Lockable drawers

4 PCS PLIERS



- 8" Bent nose pliers
- 6" Diagonal cutting pliers
- 7" Linesman pliers

ST

S

• 8" Slip joint pliers

PCS CIRCLIP



- 7" Basic circlip plier straight exterior type
- 7" Basic circlip plier bent exterior type
- 7" Basic circlip plier straight interior type
- 7" Basic circlip plier bent interior type

	NUEV CKU Description Dev Ots		
FANLEY SKU	Description	Box Qty	STANLEY SKU
STMT74179-8	4pcs Pliers Module	4	STANLET SKU
51101174175-0	4pc31 lie13 Woudle		STMT74180-8
			01101174100 0

/T74180-8 4pcs Circlips Pliers Module 4

Description

Box Qtv

8 PCS CUSHION GRIP SCREWDRIVER



- Cushion grip phillips PH0 X 60mm
- Cushion grip phillips PH1 X 100mm
- Cushion grip phillips PH2 X 125mm
- Cushion grip phillips PH3 X 150mm

STANLEY SKU	Description	Box Qty
STMT74181-8	8pcs Cushion Grip Screwdriver Module	4

' METRIC SOCKET 60 PCS



- 1/4" Drive 6pts Standard socket 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 13, 14mm
- 1/4" Drive 6pts Deep socket 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 1/4" Hexagon bit socket 2, 2.5, 3, 4, 5, 6mm
- 1/4" Bit socket slot 4, 5.5, 7mm
- 1/4" Bit socket PZ1, PZ2, PZ3

S

- 1/4" Bit socket PH1, PH2, PH3
- 1/4" Torx bit socket T6, T7, T8, T9, T10, T15, T20, T25
- 1/4" Torx socket E4, E5, E6, E7. E8. E10
- 1/4" Pear head ratchet NP9
- 1/4" Spinner
- 1/4" Extension 50,100mm • 1/4" Universal joint
- 1/4" Sliding tee

STANLEY SKU	Description	Box Qty
STMT74175-8	60pcs 1/4" Metric Socket Module	4

HUBUNGI : 🜔 🕻 HOMEMART

METRIC SOCKET







- 3/8" Drive 6pts Deep socket 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
- - 3/8" Hexagon bit socket 4, 5. 6mm • 3/8" Torx bit socket T25.
 - T30, T40
 - 3/8" Extension 125mm
 - 3/8" Universal ioint
 - 3/8" Pear head ratchet NP9

STANLEY SKU	Description	Box Qty
STMT74174-8	36pcs 3/8" Drive Metric Socket Module	4

1/2" METRIC BIT **SOCKET MODULE -**



- 1/2" Drive Torx bit socket T20, T25, T27, T30, T40, T45, T50, T55, T60
- 1/2" Drive Long torx bit socket T30, T40, T45, T50, T55, T60

10 PCS OFFSET **DOUBLE ANTI SLIP**

• 1/2" Drive Torx socket E10, E11, E12, E14, E16, E18, E20, E22, E24

STANLEY SKU	Description	Box Qty
STMT74176-8	24pcs 1/2" Drive Metric Bit Socket Module	4





- Made of Chrome Vanadium Steel
- · Matt Finishing
- Combination wrench 6mm
- Combination wrench 7mm
- Combination wrench 8mm
- Combination wrench 9mm
- Combination wrench 10mm
- Combination wrench 11mm Combination wrench 12mm

Combination	wrench	13mm
Compination	WICHUN	1 JIIIII

STANLE

ANS

STANDAR

- Combination wrench 14mm
- Combination wrench 15mm
- Combination wrench 16mm
- Combination wrench 17mm
- Combination wrench 18mm
- Combination wrench 19mm
- Combination wrench 22mm
- Combination wrench 24mm

	Y SKII Description Box Otv	
STANLEY SKU	Description	Box Qty
STMT74178-8	16pcs CWF Combination Wrench Module	4

· Offset double ring wrench 6x7mm

STANLE NS

COMPATIBLE

17/JNS

ΠΟΠΊΓΕ

- Offset double ring wrench 8x9mm
- · Offset double ring wrench 10x12mm
- · Offset double ring wrench 11x13mm
- · Offset double ring wrench 12x14mm
- Offset double ring wrench 14x15mm
- Offset double ring wrench 16x17mm
- · Offset double ring wrench 18x19mm
- · Offset double ring wrench 21x23mm
- Offset double ring wrench 22x24mm

STANLEY SKU	Description	Box Qty
STMT74177-8	10pcs Offset Double Ring Module	4

HUBUNGI : 🜔 🕻 HOMEMART

16PCS SLIMLINE COMBINATION WRENCH MODULE

COMPATIBLE System

- Slimline Combination Wrench
- Made of Chrome Vanadium Steel
- Matt Finishing
- 6 to 24mm size
- 16" Tool case

STANLEY SKU	Description	Box Qty
STMT74897-8C	16pcs Slimline Combination Wrench Module Set	1





- 1/2" SD pear head ratchet p9
- 1/2" Extension 125mm
- 1/2" Extension 250mm
- 1/2" Universal joint
- 1/2" 12 pt standard socket 8mm 32mm
- Flex socket wrench 10*11mm
- 16" Tool case

STANLEY SKU	Description	Box Qty
STMT75095-8C	23pcs 1/2" Drive 12pts Flex Wrench Metric Socket Module Set	1

23 PCS 1/2" 12PTS METRIC SOCKET MODULE SET



- 1/2" Pear head ratchet NP9
- 1/2" L-handle 90 degree
- 1/2" Extension 125, 250mm
- 1/2" Universal joint
- 1/2" 12pts Standard socket 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- 16" Tool case

STANLEY SKU	Description	Box Qty
STMT74726-8C	23pcs 1/2" Drive 12pts Metric Socket Module Set	1

HUBUNGI : 🜔 🖓 HOMEMART



HAND TOOL SET



HUBUNGI : 🜔 🖓 HOMEMART

https://id.stanleytools.global/en

HOME /FMFNT

HOMF OVEMENT



- 1pc Test Pen: 100-500V
- 1pc Snap-Off Blade: STANLEY 18mm
- 1pc Tape Rules: 3m
- 1pc Cushion Grip Screwdriver: M6 x 100mm
- 1pc Cushion Grip Screwdriver: 6 x 100mm
- 1pc Adjustable Wrench: 8"
- 1pc Linesman Pliers: 7"

STANLEY SKU	Description	Box/CTN
90-596N-23	7pcs Home Improvement Hand Tool Set (Flip Bag)	1/36

HOME-USE



- 1pc STANLEY Tape Rules: 3m
- 1pc 6-way Screwdriver
- 1pc Linesman Pliers: 8"
- 1pc Snap-Off Knife: 18mm
- 1pc Adjustable Wrench: 8"
- 1pc Mini Hacksaw: 8-3/4"
- 1set Precision Screwdriver Set
- 1pc Wood Handle Nail Hammers: 13oz
- 1pc Digital Spark Test Pen
- 1pc Water Proof Tool Bag

STANLEY SKU	Description	Box/CTN
92-009-23	19pcs Home Use Tool Set (Flip Bag)	1/5

- 1set Precision Screwdriver Set
- 1pc Linesman Pliers: 8"
- 1pc Long Nose Pliers: 6"
- 1pc Adjustable Wrench: 8"
- 1pc Test Pen 100-500V AC: 150mm
- 1pc Snap-Off Knife: 9mm
- 1pc Cushion Grip Screwdriver: 3 x 100mm
- 1pc Cushion Grip Screwdriver: #0 x 100mm
- 1pc Cushion Grip Screwdriver: 6.5 x 150mm

S

•	1pc Cushion Grip Screw-
	driver: #2 x 150mm

- 1pc Solder Iron: 30W/220W
- 1pc STANLEY Tape Rules: 8m
- 1set Metric Hex Key Set: 10pcs
- 1pc Wood Handle Nail Hammer: 13oz
- 1pc Mini Hacksaw: 8-3/4"
- 1pc Torch Light
- 1pc Pinch
- 1pc Scissor
- 1pc Nylon Bag

STANLEY SKU	Description	Box/CTN
90-597-23	18pcs Home Improvement Hand Tool Set (Flip Bag)	1/5

ELECTRICIAN



- 1pc STANLEY Tape Rules: 3m
- 1pc Multimeter
- 1pc Slip Joint Pliers: 8"
- 1pc Long Nose Pliers: 6"
- 10pcs
- 1pc Adjustable Wrench: 6"
- driver: #1 x 100mm
- 1pc Cushion Grip Screwdriver: 5 x 100mm
- 1pc Digital Spark Test Pen
- 1pc Torch Light
- 1pc PVC Adhesive Tape
- 1pc Electrician Knife
- 1pc Waterproof Tool Bag

STANLEY SKU	Description	Box/CTN
92-005-1-23	22pcs Electrician Hand Tool Set (Non-VDE)	1/6

HUBUNGI : 🜔 GHOMEMART

- 1set Metric Hex Key Set:
- 1pc Cushion Grip Screw-

47 PCS HOME-DIY TOOLS SET



- 1pc Wood Handle Nail Hammer: 7oz
- 1pc STANLEY Tape Rules: 3m
- 1pc Knife
- 1set Metric Hex Key Set 10pcs
- 1pc Linesman Pliers: 8" • 1pc Long nose Pliers: 6"
- 1pc Adjustable Wrench: 8"
- 1set 6-way Screwdriver Set
- 1pc Digital Spark Test Pen
- 1pc Torch Light
- 1pc Waterproof Tool Bag

STANLEY SKU	Description	Box/CTN
92-006-23	25pcs General Purpose Hand Tool Set (Hand Bag)	1/9

47 PCS HOME-DIY TOOLS SET



•	20 Sc	rew	iriver	Bits	

- 16pcs Hex Key
- 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm
- 1/16", 5/64", 3/32", 1/8", 5/32", 3/16",
- 7/32", 1/4"
- 1pc Adjustable Wrench: 6"
- 1pc Long Nose Pliers: 6"
- 1pc Hammer: 12oz
- 1pc Utility Knife
- 1pc Torpedo Level: 9"
- 1pc Measuring Tape: 3m
- 1set Precision Screwdriver Set
- 1set Magnetic Bit Driver
- 1pc Tool Box

STANLEY SKU	Description	Box Qty
STHT74981	47pcs Home Tools DIY Set (Kit Box)	6

110 PCS MULTI TOOLS SET





STANLEY SKU

Description

STMT81243-840

110pcs Multi Tools Set (Kit Box)

- (1)1/4" Quick Release Ratchet
- (11) 1/4" Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13,14mm
- mm
- (1) 1/2" Universal Joint
- (1) 1/2" Quick Release Ratchet
- (15) 1/2" Sockets: 10, 11, 12, 13. 14. 15. 17. 18. 19. 20. 21. 22, 23, 24, 27mm
- (2) 1/2" Extension: 125, 250 mm
- (1) 1/2" 3 Way Adaptor
- (1) 1/2" Universal Joint
- (2) 1/2" Spark Plug Socket: 16, 21mm
- (8) Hex Keys
- (1)1/4"Bit Adapter Ratcheting Scewdriver

- (2) Slotted Screwdriver: 5.5 x 75 mm. 6.5 x 100mm
- (2) Phillips Screwdriver: PH1 x 75mm. PH2 x 100 mm
- (11) Combination Wrenches: 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19mm
- 38 Bits:
- Slotted Bits: 3.5 (2 parts), 4 (2 parts), 5.5, 6.5, and 8mm
- Square Bits: S1, S2, and S3
- Philips Bits: PH0 (2 parts), PH1 (2 parts), PH3 (2 parts)
- Torx Bits: T10, T15, T20, T25, T27, T30, T40
- Pozidriv Bits: PZ1, PZ2, PZ3
- Tri-Wing Bits: 1, 2, 3, 4
- Hexagonal Bits: 2, 3, 4, 5, 6, 7mm
- (2) Bit Adapter
- (1) 6" Diagonal Cutting Plier
- (1) 8" Long Nose Pliers
- (1) Groove Joint Pliers 10"

HUBUNGI : 🜔 GHOMEMART

08112863773

• (1) 1/4" Flexible Extension: 100mm - "1/4 "(M) x 1/4" (F) • (2) 1/4" Extension: 50, 100

STANLEY® MARKING GAUGE



- Plastic marking gauge
- Plastic stock with metal insert for abrasion resistance
- Stem calibrated for easy setting
- Graduation at 2mm

STANLEY SKU	Description	Box/CTN
47-064	8.7/16 Moulded Plastic Styrene Marking Gauge	5/30

SPARK DETECTING SCREWDRIVER



• Attractive PP card packaging

STANLEY SKU	Description	Box Qty
66-119-S	3 x 150mm Spark Testing Screwdriver	20/600
66-120-S	100-500V Spark Detecting	20/600

MULTIFUNCTIONAL DIGITAL TESTER WITH LCD DISPLAY



- Induction test, break-point & voltage reading button
- Easy to read & practical screen
- Pocket clip for easy carrying
- International standard, CE certified
- Longer tip for deep insertion

STANLEY SKU	Description	Box Qty
66-137-S	Digital Voltage Tester	12/240





CLASSIC MECHANICAL TORQUE WRENCH NON-LENGTH DEPENDENT





SECURE AND RAPID ADJUSTMENT

Torque adjuster cannot be altered by accident. Ensures consistently accurate settings.

SKU No.	Inch	Capacity				
SKU NU.	Inch	Nm	Kg.m	Lbf.in	Lbf.ft	
AVT100AEX	3/8"	2.5-11	0.3-1.2	20-100	2-8	
AVT300AEX	3/8"	5-33	0.5-3.4	40-300	4 - 24	
AVT600EX	3/8"	12-68	1.2-7	100-600	10-50	
EVT600AEX	1/2"	12-68	1.2-7	100-600	10-50	
EVT1200AEX	1/2"	25-135	3-14	20-100	20-100	
EVT2000AEX	1/2"	50-225	5-23	400-2000	40-160	
EVT3000AEX	1/2"	70-330	7-35	600-3000	50-250	
HVT5000EX	3/4"	140-560	14-57	1200-5000	100-410	
HVT7200EX	3/4"	200 - 810	22 - 82	1800-7200	150-600	
GVT8400EX	1"	480-940	48-95	4248 - 8319	354 -693	



UNIQUE 3-PHASE MECHANISM

A progressive torque build-up to the selected setting is easily detected by three clear signals:

- 1. SIGHT
 see the mechanism progressively move towards the point of break as the load is applied.

 2. TOUCH
 feel the point of torque

 3. SOUND
 unmistakable CLICK. This makes it ideal for use
- **3. SOUND** unmistakable CLICK. This makes it ideal for use in noisy environment.



HUBUNGI : 🜔 GHOMEMART



STANLEY PERFORMANCE IN ACTION

HUBUNGI

JL.RAYA JANTI NO.96 YOGYAKARTA (0274) 493 22 88 08112863773

G qhomemart
G qhomemart
G qhomemart
G qhomemart

WWW.QHOMEMART.COM